

### GOLDBLATT'S Catalog and Handy Book

On this my 40th year of successful. Tool making for the plasterers and masonry trades. I take this means to thank my thousands of friends who have used my Tools for so many years. There are some of you who have used my Tools from the very beginning of my career and still using them here are hundreds and hundreds of plasterers and masons, who I knew as apprentices today they are artisans and they all continue to send their orders to me, regardless in what part of the world they live.

apprentices and all young men embarking into any branch of Masonry always start and end with the use of GOLDBLATT Trowel Brand Tools, These young men realize that to make good, to properly learn the trade requires the best tools obtainable.

Sincerely.

Goldblatt Tool Company

PARTE ELECTED TROWE



BRANI

### Directions When Ordering Tools

Above all things be sure to write your full name and address on your order and please write as plain and legible as possible.

### We Prepay the Transportation Charges

In order to relieve our customers of the red tape of paying express charges or other charges, upon arrival of tools, we prepay the parcel post or express charges, so that after you have dropped your order in the mail box, you are thru. We do all the rest. This applies to all goods shown in our catalog except those few items which are marked F. O. B. Kansas City.

In the past we have assumed the expense of the transportation charges, but conditions have been changing so that we cannot afford to continue this plan without increasing the price of our tools and this we dislike to do. It has always been our policy to hold down our selling price and under no circumstances make an increase unless the actual cost of production necessitates it.

So beginning as of January 2, 1925, we inaugurate the following plan, which will be a far more mutual change than had we made a change in prices, and this plan was worked out for the direct benefit of our customers. All items in the catalog therefore, that are priced delivered to your address are subject to following conditions:

When your order amounts to under \$3.00 include 15c for transportation charges.

When your order amounts to under \$5.00 include 20c for transportation charges.

When your order amounts to under \$8.00 include 35c for transportation charges. When your order amounts to under \$12.00 include 45c for transportation charges.

When your order amounts to under \$15.00 include 60c for

transportation charges.

When your order amounts to under \$35.00 include 75c for transportation charges.

When your order amounts to over \$35.00 include 90c for transportation charges.

### THIS IS OUR 1925 **40TH ANNIVERSARY CATALOG**

It supersedes all former issues and shows the most complete line of its kind in the world at the lowest prices

### OUR PRICES ARE THE LOWEST OUR PRODUCTS ARE ORIGINAL OUR TOOLS ARE THE OUR SERVICE IS THE QUICE

REASONS above FOUR FUNDAMENTAL explain why we are the largest exclusive house of our kind. explain why we are the largest exclusive house of our kind. All our so-called competitors imitate us, they copy words, phrases, sentences and descriptions, also illustrations, from our Catalog and literature. This alone is an acknowledgment by them that we are the leaders in Masonry Tools.

REMEMBER, therefore, that to get the original and best tools, with the quickest service at the lowest prices, you should

always buy GOLDBLATT TOOLS.

### BEWARE OF IMITATIONS BEWARE OF IMPOSTORS

### HOW SIMPLE IT IS TO ORDER

Write name and address plainly. Always give catalog number of each tool wanted.

### HOW TO SEND MONEY

Remittances should be made by Postoffice or Express Money Order, or by Bank Draft. If you send cash we suggest you register the letter.

The same day we receive your order we immediately mail you a memorandum bill acknowledging receipt of your order, and advise you how we are shipping your tools, over what railroad, express company, or whether by parcel post. In the past, it has been obligatory on the part of our customers to remit with order. Those who do not find it convenient to obtain a money order when mailing us their order, may in the future ask us to send goods C. O. D. There will be an extra charge of 25 cents on goods sent C. O. D. You will save this amount when remitting with order. Please understand that we are not encouraging you to order C. O. D. but, announcing the privilege, which method you may use when it is most convenient for you.

### ADDRESS ALL ORDERS


and Make All Remittances to

### **GOLDBLATT TOOL CO.**

1522 Walnut Street, KANSAS CITY, MISSOURI




Copyright 1925, by Goldblatt Tool Co.



### This Is the Trowel That Made Us Famous


Its Name and Number Is On the Tip of Every Plasterer's Tongue
It Is Used In Every Nook and Crook of the Globe
It Is Known As the Best, and, of Course, It Is the Best Price, Delivered Anywhere In the United States, \$2.50 In Canada, 25c Extra

Weight I Wanted Specify No. 2B



## This Is the Famous CAMEL-BACK Handled Trowe

s Wanted Specify No. 250B Other Countries, \$3.00 Used by Those Plasterers Who Show a Preference in The Style of Handle Otherwise Same in Quality as Trowel on Opposite Page In Your Order Just Say I Want No. 250F—If Browning Weight Is Wanted Specify N Price, Delivered



## This Is Our LEATHER-GRIP Auto-Spring

Blades of the Toughest Automobile Spring Steel—Handles, Leather Grip The Blade Is Ground a Full Gauge Thinner Than Any of Our Other Plasterers' Trowels. For Those Plasterers Who Want an

> Trowel In 11-Inch Size Only

Just Specify No. 2FL-Price anywhere in the United States .... \$3.00

Other Countries .... \$3.25



Furnished in | This Is the Best Liked and Most Popular Cement Finishers' Trowel 31/4, 31/2, 33/4,

besides being of the toughest Auto Spring Steel they have the undisputed reputation of being the thinnest ground blade. Every expert cement finisher knows and appreciates these wonderful fea-Blades on our No. 2CF Notice the extra large stiff rib to withstand the Heavy Pressure. tures, all of which has taken years of time and study to accomplish.

Once used you will use no other. It's a dream


always send

width is rot specified 41/4 inch.


4 and 41/4 inch widths. If the -11"—\$2.85—12"—\$2.95— Just Specify No. 2CF-



### Goldblatt Terrazzo Workers' and Concrete Block Makers' Trowels—English Pattern




15 inches long—4¾ inches wide at heel—Tapers to a point. Terrazzo Workers, also Concrete Block Makers do a great deal of slushing and spreading also very often tamp their work, and in using an ordinary Plasterer's Trowel, they frequently bend the handle down on account of leaning down so hard on their trowel. We have therefore originated these Double Post Trowels for that class of workmen. The blade and mounting on these Trowels are very heavy, so that they will stand much hard use. No. 23—Price, each......\$3.95



11 inches long—4¾ inches wide.

. \$2.75

### Cincinnati Pattern Plasterers' Trowels



No. 1 K. C.—Made of light or extra light 24-gage best trowel steel, highly polished and etched; mounting contains five rivets. On account of the extreme flexibility of the blade, this Trowel is also adapted for cement sidewalk work. Comes in sizes 4½ in. x 10 in., 4¾ in. x 11 in., and 4¾ in. x 11½ in.

### Plasterers' Margin Trowels

Flexible, yet firm. Handles put on to stay on.



### Plasterers' and Tile-Setters' Gauging Trowels



### Pointing Trowels The Kind That Are Flexible, Yet Firm—The Handles Stay On Too




Please do not compare these Pointing Trowels with the ordinary kinds.

No. 10—Size.  $4 \text{ in. } 4\frac{1}{2} \text{ in. } 5 \text{ in. } 5\frac{1}{2} \text{ in. } 6 \text{ in.}$ Price. 40c 50c 60c 70c 80c







### T MADE of the state of the stat


## THE GOTHIC, WITHOUT ANY EXCEPTIONS, THE BEST MADE

The Best Balanced and the Most Popular Brick Trowel. Made In 11", 111/2" and 12" Sizes.

In Your Order, Just Say-"I Want The GOTHIC" and Mention Size

Price, For Either Size.....

Are They Guaranteed? ABSO





Bricklayers' Trowels. Guaranteed? Absolutely
Philadelphia Pattern




No. 110— Size inches 8 10  $10\frac{1}{2}$  11  $11\frac{1}{2}$  12 Price, each...\$1.75 \$1.95 \$2.10 \$2.20 \$2.25 \$2.25

### London or Brades Pattern



### Kansas City Pattern



 No. 113—Size, inches
  $10\frac{1}{2}$  11

 Price, each
 \$2.35
 \$2.35

 The same Trowel with the Leather Handle is
 10  $\frac{1}{2}$  11

 Price, each
 \$2.60
 \$2.60

### **Brick Trowel Handles**

Wood Handle with heavy ferrule. No. 2— Price, each ... 30c



### Bricklayers' Trowels Guaranteed? ABSOLUTELY Special Philadelphia Pattern

Wide Square Heel. With Leather Handle



 No. 321—Size, inches
 10
 11

 Price, each
 \$2.65
 \$2.75

### Special Philadelphia Pattern Wide Round Heel. With Leather Handle



No. 613—Size, inches	 10	11
Price, each	 \$2.65	\$2.75

### **Brick Trowel Handles**

Leather Handle with Heavy Ferrule



We would like to insist on you to buy GOLDBLATT TOOLS just one time. After that one time you will insist on buying GOLDBLATT TOOLS all the time.





BRAND

### Auto Spring Steel Bricklayers' Trowels

We are introducing our special line of Trowels, made from Automobile Spring Steel. In this special auto spring steel line of Trowels we have developed a superior quality which surpasses anything on the market. The expert Bricklayer has always wanted a Trowel that will not kink or warp in any fashion

### Philadelphia Pattern



whatsoever, and now you can have it. Many a time you have said you would pay \$10.00 if you could get a Trowel that will hold up under all conditions. The time is now here, but, you don't have to pay \$10.00. No, you can obtain just such a Trowel at only, each.....

Just think of being able to buy a trowel made of auto spring steel, the toughest material of which a trowel can possibly be made of, at only \$2.95. We know that we could get \$10.00 each for these trowels if we asked it, but we want all our customers

### Special Philadelphia Pattern

Wide Square Heel. With Leather Handle.



to afford to own one of these special trowels at only \$2.95. When ordering just specify our Auto Spring Brick Trowel and give style number, also state size. They come in 10½ inch and 11 inch sizes only.

### Extra Plastering Trowel Blades



101/2 inch or 11 inch Size-Price each ..... .\$1.00

Goldblatt Tool Co.,

Kansas City, Mo.

-12-


### With Reference to Plastering Trowels Shown on Pages 2 and 3

We make low, medium and high mounts. By this we mean the space between the upper side of mounting and the under side of handle. As a rule, a plasterer with a small hand wants a low mount, one with a medium size hand wants a medium mount and one with a large hand wants a high mount. If above is not specified in order, we always ship Trowels medium mounts, and when sizes are not specified we always ship 11x45 inch. We Always Recommend 1014 inch or 11 inch Size.

We also make these Trowels in Finishing and Browning weights. When Finishing Trowels are wanted always follow number with letter F. When Browning weights are wanted always follow number with letter B. For example No. 2F; No. 2B; No. 250F, etc.

### Goldblatt Plastering Trowels \$2.25 Grade with Trowel Steel Blade

This is similar to our No. 2F shown on Page 2.



No. 1F—Finishing Trowel made of 24-gauge best trowel steel, highly polished and etched: mounting extends within three-fourths of an inch from each end of blade and contains ten large rivets. This leaves plenty of spring for finishing; also prevents lime from working between blade and mounting. Our Handles are shaped so as to fit your hand, and the Trowel is balanced so as to please the most particular mechanic.

### Extra Plastering Trowel Handles



Camel Back Pattern,
Price Each ......30c




Straight Pattern,

Goldblatt Tool Co.,

Kansas City, Mo.


-13-

TRADE MARK REGISTERE



# F			
No.	22	Super—2 Row Pure White Bristle	\$4.95
No.	32	Super —3 Row Pure White Bristle	5.95
No.	2	Pacer—2 Row Pure White Bristle	6.25
No.	3	Pacer—3 Row Pure White Bristle	7.25
No.	12	Mix-2 Row Grey Hair for Browning	3.50
No.	14	Mix-2 Row Grey Hair for Browning	2.25
		The No. 12 and No. 14 are not bristle brushes.	

Many brushes are camouflaged—GOLDBLATT'S are made of Honest Russian Bristle Throughout




No. 03 Acme-3 Row Pure White Bristle......\$8.95

Beware of Imitations. The style of Goldblatt Plasterers' Brushes has been imitated by many would-be competitors, but they can't imitate the quality. After all—the quality of a tool is what talks. Our reputation backs up the quality we claim for our goods. Beware of imitators. Buy direct from Goldblatt.

Every order is shipped the same day it is received

### Goldblatt Tool Co. Kansas City, Mo.


### Goldblatt Stucco Dash Brushes



Goldblatt Dash Brushes Have Stuccoed the World

Made of Bassine.
Block 2¼x5 inches.
4x8 rows of Bassine.
No. 44—Price, each......75c


Every Good Stucco Job Is Done With A GOLDBLATT DASH BRUSH.



If you want to be a good Stucco Dasher, you must use a good Brush.

Made of Bassine; Block 23/4x6 inches. 5x10 rows of Bassine. No. 45—Price, each .\$1.00

Goldblatt Splatter Dash or Pebble Dash Brush



Goldblatt Tools are the Cause of Good Workmanship Good Workmanship Results From Good Tools

Goldblatt Tool Co.,

Kansas City, Mo.




RADE MARK REGISTERE

### Goldblatt Melvin Pattern Plasterers' Brushes

We developed this Brush for those Plasterers who desire to get away from the Leather Bound Brushes, and at the same time have a Brush that is not any heavier than the regular Leather Bound ones. The sale on this Brush has been so large that we have hardly been able to produce them fast enough.

The general construction of this Brush is very similar to the heavier Kansas City style Brush shown on opposite page, only that this one is of three-row construction instead of five rows.

Like our guarantee on all 'Trowel Brand' Tools, you have our assurance that if Brush is not perfectly satisfactory your money will be refunded.



Made of Pure Gray Russian Bristles, comes in two sizes.

No	1522-7	1522-8
Size of Block		1½x8 in.
Length of Bristle	4 %-in.	4 %-in.
Price, each		\$7.30

(Serial No. 40A)

# Goldblatt Tool Compain Red 1925

TROWEL

BRAND

KANSAS CITY MO.

CGISTERED

-Bearer

PAYTO THE:

ORDER OF

Estal five dollars eatal estal estal

DOLLARS

OR IT CAN BE APPLIED AS IN OPTIONS FULL FACE VALUE WHEN APPLIED IN PART PAYMENT OF AN ORDER AS IN OPTION "A" ON BACK OF THIS CHECK, "B" AND "C" ON BACK HEREOF. BUT IS THIS CHECK WILL BE ACCEPTED AT NOT GOOD IN ANY OTHER WAY.

BY Lloyd Morman CASHIER Goldblatt Tool Co.

> 1522 WALNUT STREET OFFICE & SALESROOMS A STATE OF THE PARTY OF THE PAR

# In Celebrating Our 40th Successful Year of Tool Making

We are giving away \$40.00 to each of our customers. This is \$1.00 for each year we have been in business. This \$40.00 will be found stitched among the pages in this Catalog in the form of eight checks, of

Each of these checks will be good only when sent in with, and applied as part payment, of an order, and cannot be used in any other way or at any other time.

Option C-This check will be accepted as \$1.00 in cash on purchases of \$11.00 or over. Option B-This check will be accepted as \$2.50 in cash on purchases of \$27.50 or over. Option A-This check will be accepted as \$5.00 in cash on purchases of \$55.00 or over.

No scheme. No trick. We do not have to scheme or use tricks.

Forty years in business and every customer is our friend.

We are simply presenting these checks to our customers at our own free will and with our compliments, in celebration of our 40th year in business. You are, therefore, welcome to apply these checks

as part payment of your purchases.

(There are a few items to which these checks cannot be applied. These items are so marked in our Catalog.) Good only when sent to the Goldblatt Tool Company, Kansas City, Missouri.

And better in characters the most death and on characters in

### Goldblatt Kansas City Style Plasterers' Brush

With Long Handle

CROSS SECTION

A High-Grade Brush and a Fine Tool for the Plasterer Who Desires a Brush to Hold a Lot of Water

Our Kansas City END BRUSH Style Brush is made entirely different from any make of other Brush of this style. Each row of bristles is fastened into a molded rubber pocket and each pocket of bristlesis mortised into the wood block, as shown in picture. Absolutely guaranteed not to leak or come apart.

It's the highest grade, finest workmanship and material and most durable Brush of

market.



We ship Tools all over the United States and Canada \_17\_

### Plasterers' Aluminum Hawks




Our Aluminum Hawks are made of very hard cold rolled aluminum 3-32 inches thick. They are lighter in weight than Wood Hawks. The handles are detachable with a 4-inch flange with a hub extending 1/8 of an inch to receive thread on handle. This flange makes the Hawk very strong and durable.

All Aluminum Hawks are not alike. Buy a Goldblatt "Trowel Brand" Aluminum Hawk and you will see a

big difference.

Price, each.....\$2.65 No. 1-13 x13 -inch. Price, each. . No. 2-13 1/2 x 13 1/2-inch.



### Tuck Pointers' Aluminum Hawks

This small size Hawk is admirably adapted for use by Tuck Pointers because of the inconvenience of larger Hawks on swinging scaffolds.

No. 11-8x8 inches, Price, each ..... \$1.35

The practical Tile Tile Setters' Aluminum Hawks Setter desires a good Hawk just as much as a Plasterer does-But Standard size Plasterers' Hawks are too large for him—So here is the thing you have been looking for Mr. Tile Setter. No. 12-10x10 inches.

Price, each . . . . . . . . . . . . . . . . \$2.25

### Goldblatt Tool Co. Kansas City, Mo.

### Plasterers' Wood and Aluminum Darbies




Made of selected soft white pine of vertical grain. 48 inches long, 35% inches wide, ½ inch thick. Round handle 4 inches long, rib 18 inches long.

No. 5-Price, each......95c

Our Aluminum Darby, light, strong and more flexible than Wood Darbies; 44 inches long; 3½ inches wide; ½ inch thick. The 4-inch round handle is detachable. Rib is 18 inches long. It's a fine tool for fine work.

GOLDBLATT



Made of the finest mahogany obtainable. If you want a real fine Darby buy one of these Mahogany Darbiessame size as the White Pine. It's a Dream. No. 6-Price, each.....

This is a view of the Face of Working Side of our Managenty Darby

Darby Board like you would treat a baby. We waste a lot of material in making our

Darbies in this way, but we believe in making them right. That is why our Wood Darbies, especially our Mahogany Darbies are

still in use after dozens of the cheap ones have warped, kinked and you only know what else. Don't buy a Darby from inexperienced people because it's cheap.

While our Darbies may be slightly higher in price, there are good reasons for it and furthermore, they are much cheaper in the long run.

REGISTERED

### Plasterers' Wood Hawks



Made of selected soft wood. Dovetailed. Detachable

handle.

Sizes—13x13 inches.

No. 3—Price, each.....\$1.45

### Plasterers' Callous Preventer Will Fit on Aluminum or Wood Hawks

Made from a very fine white gum rubber. Soft and easy to your hand.


to your hand.

It eases up the dead weight of a heavy Hawk load of mortar, relieves the unyielding pressure, and does away with sore and ugly callouses.

With the use of this rubber flange on your Hawk, we guarantee that callouses will

disappear and hands will remain clear from callouses.

This rubber callous preventer has turned out to be a big selling item, because it is appreciated by every good mechanic who takes pride in the appearance of his hands. After you have one of these Callous Preventers you will thank us for calling your attention to this article.






### Sponge Rubber Callous Preventer

-20-

### Plasterers' Cork Floats-Unhandled



Made from one thickness of cork, is carefully smoothed on both sides.

Sizes, inches.... Price . .


12x5x5/8 65c

12x5x1 75c

12x6x11/4 90c

### Plasterers' Wood Angle Floats-Handled

Made from selected soft pine and fitted to one of our elegant Float Handles. If you like to do good work, you should have an Angle Float.



Price, each . . . .

4x10

### Plasterers' Angle Paddles



Made of hard width maple. Width 3 inches, length thickness 1/8 inch.

### Plasterers' Angle Paddles-With Steel Edge



Made like the one above, but this one has a steel edge. For sharp perfectly angles this is the Paddle to buy.

There

others who have tried to imitate our Steel-Edge Paddle, but have failed. There is no other paddle so good and practical as the Goldblatt Steel-Edge

Goldblatt Tool Co.,

Kansas City, Mo.

### Float Handles-Standard Size

For Cork and Larger Size Wood Floats



This handle is made of soft wood. It is 9½ inches long by 1½ inches thick. Has oval shaped handhold, and fits the hand fine.

If you attempted to make a Float Handle with as beautiful lines, as superiorly balanced, as finely shaped and as nicely finished as this Handle, it would take you at least a day to make it. We are making thousands of these Float Handles to supply the demand at this low price.

### Float Handles-Small Size



For Use on Small Wood and Cork Floats, Angle Floats, etc.

> 7½" long 1¾" thick

It's the same good shaped handle as the larger one described above.

### Plasterers' Cork Floats-Handled


Made from one thickness of finest quality s m o o th cork, attached to one of our Elegant Float Handles as shown above.




No. 3H	-Size of	Cork 12x5x5/8.	Price, each \$1.00
		Cork 12x5x1.	Price, each 1.10
No. 7	-Size of	Cork 12x6x11/4	Price, each 1.25

### Goldblatt Tool Co. Kansas City, Mo.

### Wide Base Deluxe Float Handles



Here shown is an end view and side view of what you will agree is the kind of Float Handle you have always wanted but could not buy. The length overall is 8%". Each Base is 3"x34". The size and shape of the grip is so designed as to give the most comfort and not to cramp the hand. Made of selected soft cork pine. Only those plasterers with enough wood carving ability who have ever attempted to make a handle of this design can appreciate how reasonable this Float Handle is priced.



### Plasterers' Cork Floats-Handled



Cork is of extra select quality with Handle as shown above expertly attached.

No. 30—Size of Cork 12x5x%. Price, each.....\$1.60
No. 40—Size of Cork 12x5x1. Price, each..... 1.75
No. 50—Size of Cork 12x6x1¼. Price, each..... 1.90

When you are working with Goldblatt Tools your fellow workers will recognize your caliber

-23-



### **Aluminum Sand Finishing Float**


The Best Plasterers' Tool Invented in a Long Time. You'll Say So After Using One.

It does away with the old method of tacking carpet or felt to wood floats.

New pieces of carpet or felt easily and quickly replaced

with a few turns of thumb screw.

As it looks without carpet or felt fastened.



Will last a lifetime-No Rusting-No Warping.



As it looks with a piece of carpet fastened to it ready for use.

### Sand Finishing Felt



This Sand Finishing Felt is used for the same purpose that the Sand Finishing Carpet is used for.


It can be tacked or glued to wood floats

or fastened to our No. 16 Aluminum Float.

Size No. 1 is especially adapted for use on the Aluminum Sand Finish Float shown above.

Comes in following sizes:

### Sand Finishing Carpet




This is the best quality of Sand Finishing Carpet—It is used by Plasterers everywhere and is used either on Wood Floats or on the Aluminum Float shown on opposite page. It includes pattern material and odd shapes. Sold by the pound.

50c

### Sand Finishing Carpet—Selected

### Sand Finishing Carpet—Extra Selected



### Sand Finishing Carpet—Deluxe



### **Celluloid Trowels**



Used by Composition Floor Layers or wherever the material used contains magnesium chloride. Will not discolor light shades of composition material

### Celluloid Floats



Used by Composition Floor Layers or wherever the material used contains magnesium chloride. Will not

discolor light shades of composition materials.

Not Flexible and much thicker blade than is used in float on page 82.

### Bronze Trowels



This Trowel has a blade which is made of an alloy of Bronze and Aluminum which does not tarnish or discolor composition materials. Can be used wherever oxychloride products are used.

Size, 11x434 inches.

No. 1930—Price, each.....\$2.95

### Goldblatt Tool Co. Kansas City, Mo.

### Cementers' Wood Floats



### Made of Selected Soft Pine


No									0			1				1	10	11
Size															. 4	1 1/2	2x12	4½x15
Price, each													3.			6	5c	75c

### Aluminum Float



### Plasterers' Cork Floats, With Wood Back— Handled

Our Acme reinforced Float is the best thing of its kind ever produced.





### Plasterers' Ornamental Tools Genuine Tyzack's English Make Leaf and Square



No. C25—Size....¼ in. ¾ in. ½ in. ¾ in. ¾ in. 1 in. Price, each.......75c 75c 80c 90c 95c \$1.05

Trowel and Square



No. C32—Size....3% in. ½ in. 5% in. ¾ in. 1 in. 1¼ in. Price, each ...... 90c 95c \$1.00 \$1.10 \$1.20 \$1.35

Trowel and Bead



No. C34—Size 1 in. 1¼ in. Price, each \$1.20 \$1.30

Gouge Tool



### Plasterers' Trimming Knife

No. C55—5 in.. 80c No. C55—6 in.. 90c

### Plasterers' Miter or Joint Rods Genuine Tyzack's English Make




Made of the highest grade of steel. Light in weight and true in accurateness.

Made in all even lengths from 2 to and including 24

inches. When ordering state lengths wanted.

Length, Inches	2	4	6	8	10	12
Price, each		45c	70c	95c	\$1.20	\$1.45
Length, Inches			18			
Price, each	\$1.70	\$1.90	\$2.20	\$2.40	\$2.50	\$2.80


Plasterers' Rubber Gloves



These gloves are made of fine white rubber and are acid proof. When ordering state whether left or right hand gloves are wanted.

No								. 20	22
Length of Cuff								.5-in.	9-in.
Price Per Single Glove.								.\$1.95	\$2.35

### Scratch Tools Genuine Tyzack's English Make





### Plasterers' Round Tool Brushes-Long Handle

Made of Genuine Chinese Bristle



This is a genuine Rubberset Brush. Bristles are set

in Rubber.

Do not compare these Tool Brushes with the cheap sea weed Brushes purchased at 10c stores, because ours are not 10c goods.

No	2 3/4	3 7/8	4
Price, each	55c	65c	75c

### Plasterers' Flat Tool Brushes—Long Handle Made of Genuine Chinese Bristle

 Rubber Set
 6
 7
 8

 Size, width
 1 in.
 1½ in.
 2 in.

 Price, each
 35c
 45c
 60c



### Plasterers' Chalk Line

### Plasterers' Chalk Line

This is a very fine, genuine Irish linen line, much stronger than the line above; 100 feet on a spool.

No. 55-Per spool .... 50c



### Goldblatt Tool Co. Kansas City, Mo.

### Plasterers' or Bricklayers' Short Wood Levels



### Plasterers' or Tile Setters' Aluminum Levels



### Water Level



This Water Level is very convenient and used in most cases where extreme accuracy is required, on such work, for instance, as ornamental plastering in theatres, churches or public buildings.

Made of a fine quality white rubber, 24 feet long and has a 12-inch Leve glass inserted in each end.

Price for complete outfit.....\$3.50





BRAND

RADE MARK REGISTE

### Plasterers' or Modelers' Dutch Planes



Made of hardwood with hand hole. Round on one side and flat on the other. 22½ inches long over all. Width 2½ inches. When ordering state thickness wanted.

Thickness, inches. ... ½ ½ ½ ¼ 1 1½ 1½ Weight, ounces. ... 10 14 16 18 20 Price, each; any size to 1 inch. ... ... \$1.50 1.65 1.75

### Plasterers' Triangles or Set Squares Not Graduated

Best Quality Steel; highly polished. Measurements given below are on the long side.



 No. 56—Size, 10 inches.
 Price, each.
 \$1.50


 No. 57—Size, 12 inches.
 Price, each.
 1.85

### Plasterers' or Masons' Squares

Best Quality Steel, Highly Polished

No.	Body, inches	Tongue, inches	Graduations	Price, each
58	12x1 1/4	8x1	1/12, 1/8, 1/4	\$1.25
59	18x1 1/4	12x1	1/16, 1/12, 1/8	1.65
60	24x2	16x1 1/2	1/16, 1/12, 1/4	1.95

### Combination Square—With Level, Mitre and Plumb



The head of this square may be clamped to any point of the blade. The blade is graduated 8ths and 16ths on both sides, and the lines and figures are very distinct. It is also convenient to square a piece with a surface and at the same time tell whether one or the other is level or plumb. The blade can be used separately as a rule. Combines a marking gage, rule,




One edge toothed 6 points, other 8 points. Fine teeth are for sawing where nails are imbedded, etc.; coarse teeth are for cutting Cane, Stone, Plaster and similar materials.



Price, each......\$3.00

20 \$3.25 \$3.50 Plasterers'



and Terra Cotta Modelers' Dividers or Compasses

8-in. 10-in. 75c 95c

400

#### Extension Dividers or Compasses

Adjustable leg, pencil can be used in place of leg; points made of fine tool steel.



#### Plasterers' and Terra Cotta Modeler's Planes

3 ½ inches long, 1-inch cutter. No. 100—Price, each.....

7 inches long, 1 %-inch cutter. No. 110—Price, each......\$1.25








We can also supply the Oval Head style in the above Hatchet, in the 9 row size. This style is sometimes called the California Pattern. When ordering this one specify California Pattern. Price each

## Plasterers' Scaffold Hatchets

Very Handy when putting up and taking down Scaffolding.



Metal Lathers' Nippers



The Cuttersor Jaws are interchangeable. Can be taken off to be ground. 6 10 Length, inches...... \$1.95 \$2.20 \$2.50 Price, each. .90 Extra Jaws, pr.....

Goldblatt Tool Co.,

Kansas City, Mo.

# Goldblatt Tool Co. Kansas City, Mo.

#### Plasterers' Tile Markers Old Style





No. T3—Price, each.....

We are the inventors of this tool, and like many of our own inventions this Marker has been copied, so beware of imitations as they are not only inferior in quality, but they do not work satisfactorily. To be sure you get the genuine, order direct from the Goldblatt Tool Co.

#### Round File

Used for sharpening the above Tile Marker when it becomes dull.





Be sure to read top of page one, this Catalog

#### Tile Marker Deluxe Patented



Side View.



Full Size Side View of our Patented Swedish Razor Steel Blade as Used in DeLuxe Tile Marker.

You have always wanted a Tile Marker like this. You have dreamed of a Tool that could be along the line of pulled straight edge without that fear of cutting too deep in one line and too shallow on the next line. You have dreamed of a Tool with which you could do an extra fine job of marking imitation tile in Bathrooms and Kitchens without that fear of cutting ugly uneven grooves and utterly ruining the

You have often thought that if you looks of the job. could just get your hands on a Tool like this that you would welcome every job of this kind that was offered you and that you would then be able to please your clients in every Tile Marking Job. That uncertainty is what always worried you. That same uncertainty can now be banished from your mind forever.

Our patented DeLuxe Tile Marker, which is shown above, overcomes all obstacles formerly encountered in this work. It is so devised that even an apprentice can use the tool and accomplish a perfect job of Tile Marking. It is impossible to cut wrong, too deep or too shallow. Simply pencil mark the lines, this can be done with the aid of a compass and a straight edge. Squares can be laid out in the following most popular sizes-4x4 inch. 6x3 inch. or 6x6 inch. This little wonderful tool with its keen Swedish Razor Steel Blade will do the rest.



Made of Aluminum. Weighs only 31/2 ounces, 61/2 inches long. Can be carried in Vest Pocket like a Fountain Pen.

It's worth a \$10.00 bill, but produced so that every Plasterer can afford it at only..... Extra blades 15c each or 2 for a quarter.

Just specify DeLuxe Tile Marker.

Think of our Low Prices and remember our high quality



In the above picture you will see just how our Patented Deluxe Tile Marker is applied to actual work of cutting the small joints on hard surface plastered walls. Notice the convenient shape of the tool. Notice that it is just as easy to cut into the corners and angles, as it is to cut along the middle of wall. Notice how the plaster comes thru that keen sharp blade in a steady uniform stream like a liquid comes thru the small end of a funnel. Never out of order, you can always depend on it.

Blades are self sharpening and will last a long time before worn out. New blades can be inserted in one minute.

Infringements in design, construction of body or blade will be prosecuted to the full extent of the law.



"Trowel Brand" Tool Bags They Will Outwear a Dozen Others



For Plasterers, Bricklayers or Cementers

This Tool Bag is made of very heavy canvas, sewed by hand to a hoop steel frame; has a lock and 2 straps over top; it is very durable. Has pocket on inside. All leather trimmings are securely fastened to canvas.

One of our Tool Bags is worth at least as much as three ny other make—The Picture tells the story.

No	318	320	322	324
Length       16 in.         Depth       14 in.         Price, each       \$3.75	18 in.	20 in.	22 in.	24 in.
	15 in.	16 in.	17 in.	18 in.



#### Lathers' or Tile-Setters' Tool Bag

This is the same style of Bag as shown above but, made shallow, intended more especially for Lathers, etc.

No	114	116
Length	14-in.	16-in.
Depth	10-in.	10-in.
Price, each	\$3.25	\$3.50

Goldblatt Tool Co., Kansas City, Mo.

# Goldblatt Tool Co. Kansas City, Mo.

# Knapsack Shape

This bag is made of heavy cantas, with double bottom; has detachable shoulder strap, and will hold all the tools that can be carried. Made for durability and convenience.

18 inches high, 16 inches wide,

6 inches thick.

All leather trimmings are securely fastened to canvas.

No. 33—Heavy weight

only.....\$3.40

#### Tool Bags With Leather Bottom and Sides

This satchel is made of very heavy white canvas, sewed with best linen thread on a hot-wax, lock-stitch machine, cannot rip unless every stitch is cut; made with a heavy 12-gauge steel

frame handmade; genuine leather handles and buckle pieces. The bottom is made of good quality leather, running five inches up the sides. The bottom is lined with waterproof 20-point board. The handles. billets and buckle pieces are sewed and riveted to




frame by hand. Each bag has an inside pocket for small tools. Has lock and key and two straps as shown at top of bag.

Bottom rests on five metal studs when placed on surface. It can be carried through the streets and in public places, looking as well as a traveling bag.

No 616	618	620	622
Length	18-in.	20-in.	22-in.
Depth	15-in.	16-in.	17-in,
Price, each\$5.75	\$6.25	\$6.50	\$7.00

Goldblatt "Trowel Brand" Plasterers' Pants Front View



#### Goldblatt "Trowel Brand" Plasterers' Pants— Back View White Drill Material



Our Special Plasterers' Pants illustrated here need no introduction.

To those who have never used them we desire to say these Pants are not just overalls. They are cut and tailored like good dress trousers and they fit like real trousers, you will find real comfort when working in these

pants.


They are made purposely for those plasterers who do not like Bib Overalls, and who prefer to use a belt instead of suspenders. They have two large hip or back pockets, two smaller ones on the side of legs for pointing trowel and other small tools, and a watch pocket at waist line. The two hip pockets and watch pocket have flaps which prevent plaster and mud from falling in them. They are made of best quality white Overall Drill and are strongly made. All sizes up to 42 waist.

to above prices.

When ordering Pants, do not fail to state sizes wanted. Give waist and length measurement.



# Goldblatt "Trowel Brand" Double Knee Overalls White Drill Material



You need look only at this picture and you will appreciate what a sturdy, well built overall this is. Made of best quality No. 250 white overall drill, plenty of pockets, double knees and strongly sewed. The strongest white overall made. All sizes up to 42 waist.

No. 24—Price, per pair....\$2.35

These overalls are popular among:

Bricklayers
Tile Setters
Cementers

Those who prefer lighter weight double knee white drill overalls of similar design (front pockets and double knee, one piece) should order our

# No. 25—Price per pair \$1.75

When ordering overalls be sure to state sizes wanted. Give waist and length measurement.

For size from 44 to 48 inclusive add 25c per pair to above

prices.

#### Goldblatt "Trowel Brand" Plasterers' Work Shirt



This shirt was designed especially for Plasterers. You all know the disadvantage in the ordinary undershirts, which are so skimpy and their short sleeves getting shorter every time they are put on. You know, too, how difficult it is getting them on and off.

It's different with this special Plasterers' Shirt. It's made extra roomy and large and the sleeves are extra long. Easy to get on and off, also notice the neck, which fits close around you to keep the plaster and lime from burning you, with one real good button on the back. The long sleeves keep your wrists and arms protected.

Made of superior quality cream color Balbriggan of a weight desirable in summer or winter. Made in sizes 38, 40, 42, 44 and 46.

When ordering state size wanted.

No. 60—Price, each....

Goldblatt Tool Co.,



# Plasterers' and Masons' Working Caps



# FREE

It's the best white working cap that's made. You will be more than pleased to have one. Just say, "I want a cap" (state size), write it at the bottom of your order. We want all our Customers to wear them with our compliments.


We will include a cap with your order free of charge when you ask for it.

#### Aprons

This Apron is used principally by plasterers. It prevents the mud from geting into pockets. These Aprons are made of same white goods that our Overalls are made

alls are made of. They are 30 inches wide, 18 inches high and have two strong 24 inch bands attached.

# Plasterers' Web Belts



Very Strong and Durable

Price, each......30c

We ship tools all over the United States and Canada

#### WHY PAY MORE?

Shoe stores sell these high grade sewed sole shoes at \$6.00, to \$9.00 per pair.

# Our Price ONLY \$4.95

Shoes to Work In

No "sore feet" in this Shoe. This Shoe is nice enough to wear as a dress shoe. In fact, many of our customers buy two pairs at a time and wear one pair for dress and one pair for work.

This Shoe is made over the kegulation Munson Army Last, designed by experts. It's the most comfortable shoe

designed by experts. It's the most comfortable shoe ever made. Comes with soft tip, made of a tan leather of fine quality, which dries soft after wetting. Genuine Welt-Sewed Sole.

No. 1006—Per pair (state size wanted) ...... \$4.95



## Plasterers' and Masons' Work Jackets

This Jacket is made of same white goods that our Plasterers' Pants, shown on pages 40 and 41 are made of. They have three pockets, and well made in every respect. Sizes 36 to 44. When ordering give size of breast measurement.


No. 565—Price.....\$1.25

Goldblatt Tool Co.,

Kansas City, Me.

TRADE MAR

#### Patent Stucco Workers Outfit Rock or Stone Pan



Rock or Stone Paddle



In designing this Aluminum Paddle for throwing on rock in stucco work, we endeavored to produce a

shape that not only throws the stone evenly and uniform, but we produced in this paddle a tool that is bal-

anced correct, and feels comfortable also light in weight. The paddle part is  $8\frac{1}{2}$ " wide and 9" long, the

No. 01—Price, each..... handle is 41/2" long.

## Chloride Hydrometer




Stucco Hydrometer-This instrument is necessary for the correct preparation of stucco solutions and enables even a novice to obtain expert results. Graduated at 22 degrees, this instrument registers the correct mixture and is indispensable to all stucco contractors.

No. 02—Price, each \$1.00

The Goldblatt Stucco Workers Pan, Paddle and Hydrometer are recommended as the original and best by all magnesite, kellastone and other similar stucco workers.

#### Plasterers' Sand Finishing Brush

Designed to meet the ideas of plasterers who specialize in Sand Finishing. They use this brush in addition to Carpet Floats, enabling them to produce any desired texture of Sand Finish Walls their clients may specify. This



specify. This tool is light in weight, easy to work, and can be thoroughly washed, leaving the working side clean. Brush part made of best quality Tampico, size 4x9 inches.

No. 166—Price each......\$1.50

## Plasterers' Stucco Stippling Brush



When you are doing a stippled or mottled stucco job for a client who is particular, you can rest pretty sure that this brush will enable you to produce just as near the desired effect as may be possible. It's 8 inches long by 2½ inches wide, correct in size to fit the hand. Brush part of best quality stiff Bassine.

#### Cement Waterproofing Brush




Most successful Brush for Waterproofing. We have been supplying these in large quantities to the largest waterproofing companies. Made of Pure Chinese Bristle. Size 15% inches thick by 4% inches wide.

Goldblatt Tool Co., Kansas City, Mo.



# Adjustable Leveling Stands



A practical device, light, compact and at low cost, for holding level with sights attached. It enables the user to run grades for ditches, drains, etc., and to set profiles for foundation work very quickly without incurring the expense of surveyor's instruments. It consists of two parts, a base and a rotating level carrier. The base can be attached by set screws either to one stake or crow bar or to three stakes forming a quickly improvised tripod, or can be set on a per-

manent object, as a box or stone. The level carrier is then accurately leveled and locked to this base. Made for use in connection with either wood or iron levels.



Price, each

Here shown as attached to three stakes, forming a quickly improvised tripod.




Or can be set on a permanent object, as a box or stone.



Or can be attached to one stake or crow bar.


# Take-Down Bricklayers Scutches



Those Bricklayers who work a good deal on Fire Brick Work and need a real sharp scutch all the time, prefer this Goldblatt Take-Down Scutch. When one blade becomes dull, it takes but a minute to unfasten it and put on a sharp blade. While the sharp blade is in use, the dull ones are

sent to us for sharpening or any good blacksmith may be able to do the job. Most users of this Scutch order at least one extra blade so that they always have a sharp blade. The Blade is made of finest Tool Steel.

No. 300—Handle with One Blade, Price, each.....\$2.25 Extra Blades-Price, each....





For attaching to any Wood Level up to two inches wide. These Level Sights have thumb screws, easily attached or detached. By the use of these sights the levels of fardistant points may be ascertained.

No. 1-Price, per pair ....

Kansas City, Mo.



#### Best Quality Hand Made Bricklavers' Jointers



Made of high grade tool steel, flat working face at one end and round working face at other end. This jointer strikes a keen perfect joint. Sizes as given below is the thickness:

No	49B	49C
Size, inches	3/8	1/2
Price, each 60c	65c	70c



Made of high grade tool steel; large at one end and tapers down small at other end. This jointer strikes a round sunken joint. Sizes as given below are the diameters at large end

No			
Size, inches	: 1/2		
Price, each	. 60c	65c	70c

**Brick Jointer** Round on one end, V shaped on the other. Same size both ends.






Made of high grade tool steel

No			047H	
Size, inches	. 1/8x 1/4	1/4 x 3/8	3/8x 1/2	1/2×5/8
Price, each	. 75c	80c	85c	90c

# Caulkers or Tuck Pointers Flat Joint Filler



#### **Tuck Pointers Jointer**



This Jointer has a flat face, making what is usually termed a square joint.

# Bricklayers' Gypsum Block or Macolite Saw




Designed and made especially for sawing Gypsum Building Blocks or any similar material. Coarse teeth blade 20 inches long. You will wonder how you ever got along without one of these convenient saws.

No. 4—Price, each.....\$2.50

Goldblatt Tool Co., Kansas City, Mo.



# Goldblatt "Perfect" Bricklayers' Joint Raker Patented



#### As Necessary as a Trowel. ONLY 35c

We also call this our "Trowel Mate" Joint Raker

because it's as necessary as a Trowel.

This is indeed a universal tool, and is becoming more popular all the time. We have sold thousands of them to satisfied users and can recommend them very highly to all our friends. It has two cutting heads, a long one for raking plain head and bed joints and a short one for raking head and bed joints in angles, at corners or where projections are made in the brickwork. All joints between 1/4 inch and 3/4 inch can be reached by this tool. No joint can be made that cannot be properly raked by this tool in a quick and neat manner.

In operation the tool is placed with the convex side against the face of the wall so that the right angled cutting head enters the joint, then by drawing the tool along the joint the cutting head plows the mortar out and throws it clear of the wall, leaving a neat square

joint and a perfectly clean wall.

#### Bricklavers' Dust Brush




This brush is used for brushing joints after they have been struck up with jointer. It is made of mixed Tampico. The whole Brush is 14 inches long. Brush part is 8 inches long.

# Goldblatt Tool Co. Kansas City, Mo.

## Bricklayers' Combination Joint Raker

This Raker, Jointer and Striker combined makes a smooth, perfect raked out joint. There are no screws or nuts to work




loose. The revolving wheel prevents wear and will not mar the work or cause irregular depths in joints as where other rakers are used. The wheel revolving against the brick makes it easier for the mechanic to

handle the tool.

The handle of the Raker forms two Strikers which will clean out any mortar that may collect.

To adjust the Raker swing lever to the side and move the wheel back or



wheel back or forward to the depth desired, then swing the lever back in place and the wheel is positively locked in place. This Raker is made of a special grade of steel, thoroughly tempered, making it a first-class tool in every respect. Highly recommended by leading architects and mechanics.


Length 8 in., weight 6 oz., for  $\frac{1}{4}$  to  $\frac{1}{2}$ -inch joints.

# GOLDBIATT It Protects Your Fingers for 30 Fingers Finest Preventative of Sore Fingers

Finest Preventative of Sore Fingers
Orders for less than 3 Rolls not accepted.
In Dozen Lots-Price perDozen \$300 Delivered
TOLDELATT TOOL CO...
KANSAS CITY, MO.



#### **Ever-Lastic Calking Compound**



For Calking Around Door Jams, Windows, etc., thus sealing buildings and protecting against dusts and drafts.

Proper Calking of every building is an important part in

construction work.

Putty will not do. Plaster will not do. Mortar will not do. All have been tried, and found that they will not adhere to wood and other building materials. These materials above mentioned crack and fall out.

Jen-Sal Ever-Lastic Calking Compound does not crack and fall out.

 Per
 5-lb. can, 25c per lb.
 \$1.25

 Per
 25-lb. drum, 20c per lb.
 5.00

 Per
 100-lb drum, 17c per lb.
 17.00

F. O. B. Kansas City



Buy your supplies from us and you get the best

#### Goldblatt Tuck Pointers' Acid Washing Brush

Used in muriatic acid solution for washing down brick, stone and terra cotta work after buildings are completed. Made of white fibre. It is 6 inches wide and 1% inches thick. Length of stock is 3½ inches. It has 14 rows of stock in width and 5 rows in thickness.



No. 22-White	Fiber.	Price,	each	 	 75c
By the dozen.	Price,	each		 	 65c



# Tuck Pointers Sponges

Used by Tuck Pointers in washing down buildings. These are a good quality yellow grass sponge and of good size.

No. 220— Price, each . . . 25c

#### GOLDBLATT TOOL CO.


The Oldest and Largest Exclusive Supply House for Plasterers, Masons, Tile-Setters, Cementers and General Masonry Contractors.

Before Mailing Us Your Order Read Page One This Catalog

We Pay Transportation Charges to Any Part of the United States on Goods not Marked F.O.B. Kansas City.

## Goldblatt Tool Co. Kansas City, Mo.

#### Wire Brushes



# For Cleaning Brick and Stone, Etc.

This Brush is made of flat-tempered steel wire. It has five rows of wire in the width and 10 rows in the length. Size of block or handle is 7\% x2\% ins.

No. 16—Length of wire 3 inches, each............40c




This Brush is made of round tempered steel wire, being a finer brush than the one above. It is designed for scrubbing and scouring on stone, brick, marble, etc. It has 6 rows of wire in width and 19 rows in length. Size of block or handle is  $7\frac{1}{4}x2\frac{1}{4}$  inches.

No. 17—Length of wire, 1% inches, each..........65c



This Brush is made of round steel wire, which is 1\% inches long; has three rows; brush part 6 inches long and 1 inch wide. From tip to tip the length is 14\% in.




Similar in shape to a paint brush. Wire is  $2\frac{1}{4}$  inches long. Block is  $2\frac{1}{8}x1\frac{3}{8}$  inches.

We pay the postage and deliver to your door free



# Contractors' Leveling Instruments



It should be borne in mind that our leveling instruments do all that a transit will do except measure vertical angles. instruments attain angles in a horizontal plane only, and are designed for the use of farmers, contractors, carpenters, wrights, masons, surveyors, etc.

Its lightness, simple construction, and moderate price, com-

who have occasion to use such an instrument. The upper plate is connected to the tripod head by a ball and socket joint, and is leveled by the leveling screws. This plate is recessed to contain a graduated arc for taking angles, and on the plate is the frame with level and sight tube for taking horizontal angles only. The nickel-plated SIGHT TUBE on this instrument is PLAIN, with no lenses, 12 in. long, with small eye aperture and the usual cross wires. All other features are precisely the same as the transit described and shown below. described and shown below.

Extension Legs are adjustable from 2 feet 6 inches to 4 feet

inches.

Directions for setting up and using are inclosed with each leveling instrument.

Weight, packed in box for shipment, approximately 20 pounds. No. 101 A—Price, complete..... F. O. B. Kansas City.

#### Contractors' Transits

To meet the demands of contractors, builders, carpenters, farmers, and others for a transit and level, low in price yet sufficiently accurate for their needs, we have developed the Starrett transit and level. These instruments are very simple, they do ments are very simple; they do not have the expensive attach-ments found on engineers' instru-The builder and contractor find them indispensable in laying out building lots, locating batter boards. leveling foundation walls, and in pouring con-



crete floors. Farmers and ranchers use them in laying out modern tile drainage systems, irrigation ditches and new roads. Millwrights and aramage systems, irrigation ditches and new roads. Millwrights and machinists may use the Starrett level to advantage in leveling and aligning shaffing in mill or factory. In general, it may be said that the Starrett transit or level can be used for the same purpose as any engineer's transit and level. Free from complications and confusing adjustments, any man may use these instruments without the knowledge of higher mathematics and engineering principles necessary for using the much higher priced engineer's ing principles necessary for using the much higher priced engineer's

A comprehensive booklet explaining in detail the uses and illustrating practical problems accompanies each instrument.

Furnished with adjustable extension legs as the one shown at

Weight ready for shipment about 22 lbs.
Weight ready for shipment about 22 lbs.
No. 99B—Price complete with Plain Sight Tube and Plain
Level Vial. F. O. B. Kansas City. \$20.00

No. 99F—Price complete with Telescope and Ground Level Vial. F. O. B. Kansas City.... 40.00 -60-



#### Plumb Bobs

No. 11-Iron, No. 12-Iron, No. 15-Iron, nickel plated, nickel plated, nickel plated. Length 3 in. Length 31/2 in. Length 43/4 in. Weight 4 Weight 12 1/2 Weight 171/2 ounces. ounces.

ounces.

Price, each 20c Price, each 40c Price, each 60c



#### Mercury Plumb Bobs The improvement consists in our

patented device for fastening the string without a knot to tie or untie, simply by drawing it into the peculiarly slotted neck at the top, after unwinding the required length, when the bob will hang perfectly true.

These plumb bobs are made from solid steel, bored and filled with mercury. Noteworthy features are their great weight in proportion to size, low center of gravity, small diameter, hardened and ground points, knurling on the body and the simple and effective device at top for fastening end of line after winding up. Nickel plated. Each is provided with a braided silk line.




4	in.	long,	1/2	in.	diam.	31/2	OZ	\$1.80
5				4.	и			2.40
51/2	4	и	7/8	ш	"	12		3.00
6 .	- 4	4	1	4	'u	16		. 3.60

# Steel Plumb Bobs No. 177

The same in design as No. 87, but made from solid steel, the mercury being omitted.



4	in.	long,	1/2	in.	diam.	23/4	oz	\$1.00
5	4	4	5/8	4	4	5		1.25
51/2	н	4	3/8	4	4	81/2	#	1.75
6	4	ш	1	4	4	141/2		2.40





#### **Aluminum Line Level**




The "Goldblatt Line Level" consists of an accurate, proved level glass placed in a three-inch aluminum tube with "spring silver" end pieces and hooks formed from one piece of metal. The end pieces are attached to the tube by silver rivets that pass through the tube and through lugs at top and bottom between the hooks and the center of the level, thus preventing the hooks from pulling out of alignment in case of severe strain or rough usage.

Every level is carefully tested and proved and is guaranteed to be

accurate.

Every plasterer, bricklayer or cement worker should have one



# Perfection Level and Plumb Attachment



Always On The Job

Can Be Attached To Any Straight Edge. Can Also Be Used on a Steel Square. Every Mechanic should have one No. 10—Level Attachment. Price, each......95c

# Goldblatt Tool Co. Kansas City, Mo.

#### **Aluminum Line and Surface Level Combined**



Easily attached to line—Spring Clips prevent the level from falling off the line—accuracy guaranteed. Weighs only % of an ounce—because of its shape this line level can also be used as a surface level—otherwise this Tool is similar to the line level shown on opposite page—after you own one you will say it's worth a five spot.

No. 15—Price, each......90c



#### **Cross Test Level**

As the cut shows, two levels in one frame, extending at right angles 2¾ inches each way. The level weighs but 4 ounces. When placed on work to be leveled in both directions, it will not be necessary to move the tool. It is japanned; with nickel-plated ends.

No. 136—Price, each......95c

#### Lath Hatchet Handles




#### **Brick Hammer Handles**



We send our tools to all corners of the globe

## Masons' Chalk Line

Medium soft, very strong, best quality; in balls. Size 18. Price, per ball....15c





OR HANKS

#### In Hanks.

Sizes 18, 27 or 36. Price, per lb....90c No less than one pound sold.



#### Mechanics' Line Blocks




Once tried, always used.

An absolutely new, efficient and indispensable article. most essential to Bricklayers, Stone Masons, Carpenters, Structural Iron Workers, Concrete Workers, Draftsmen, Painters and Crafts, using lines for Snapping, Chalking and Measuring purposes. Directions:

Hold line block with Cam on top, insert line from bottom up, through square hole then back under Cam, turn Cam down tight. Thread the second block the reverse of the above so the lugs on plate will be on the extreme opposite ends, if the line cannot be placed exactly where desired a further adjustment may be had by moving line up or down in slot or under cam.

Eventually the line block will be an important accessory to your Kit. Try them. Price 75 cents a set.

#### Self-Chalking Chalk Line



Reel holds 50 feet of line and chalk enough to last for years. Can't get out of order.

Three inches in diameter, 1 inch thick,

weighs 4 oz.

Always ready; stick the awl in wall, draw the line and snap.

No. 444-Each \$1.25

#### Chalk Line Holder






# Level Vials

Best Grade

#### Round or Oval Level Lenses





Round Ones Come 1%" and 1%" in Diameter Oval Ones Come


1¼"x2%" also 1¼"x1¾"
Price Each—Either size or shape......

.....71/2c


These tools are delivered to your door at these prices

## **Wood Folding Rules**

Best Quality Zig-Zag Rules on the Market



#### **Extension Wood Folding Rules**



These rules have an extra leg which makes rule an inside caliper with which inside measurements can readily be taken—Yellow finish.

 Length, feet
 4
 6

 Price, each
 75c
 \$1.00

#### **Aluminum Folding Rules**



Rivet Joint, 6-inch folds, ½-inch wide. Graduated 16ths on both sides. Black Fin-

#### Blindman's Rule

Two feet, four fold.



# Goldblatt Tool Co. Kansas City. Mo.

le handalan

#### **Pocket Steel Tapes**

These tapes are ¼' wide, in well finished nickel-plated cases with rounded edges. Spring wind, with center stop, graduated in inches and sixteenths of an inch.

	Length,	TIICE,
Number	Inches	Each
143	36	\$0.75
145	60	.90
146		1.00
148		1.50

# "Banner" Steel Measuring Tapes Instantaneous Readings



eighths.	Length	Price,
Number	Feet	Each
550	25	\$3.25
553	50	3.75
555	75	4.95
556	100	6.75
	Wall S	



# $[a_{11}, 2_{11}, b_{11}]_{14}$ GOLDBIAT

# "Challenge" Steel **Measuring Tapes**

Instantaneous Readings

Metal lined, hard leather cases, nickel-plated trimmings; folding flush handle; opened by pressing pin on opposite side. three-eighths inch. Width marked feet, inches and eighths, one side only.

Number			ĺ	14			]	L	en	gth, F										Each
260										25							. ,			\$4.13
263																				5.35
265										75										7.00
266										100					 	 di.				9.00

#### "Challenge Junior" Steel **Measuring Tapes**

This Tape is ¼ inch wide or about one-half the size and weight of tape shown above. Marked feet, inches and sixteenths one side only. On account of the small size, the tape can be carried in

Number	Length,	Feet	
1260	25		 \$3.50
1263	50		 4.25
1265	75		 5.25
1266			 7.20



68

.0 .4 .8

RECISTERED

#### Plasterers' Automatic Wall Measurement Tables

Showing Total Number of Square Yards in Rooms of Various Sizes. To be used in figuring amount of plaster required for given

To be used in figuring amount of plaster required for given areas. Directions for Use

Example: To obtain the number of square yards in a room 15x14x7.6. Turn to the table giving measurement of rooms with 7.6-foot ceilings; follow down the column of figures on the left until you come to 15, then follow the figures to the right until you come to the figures directly under the figure 14, at the top of the page; the answer is 71.6 square yards. When the half-foot comes in the dimensions of a room, both ways, take the next largest number on one side. When it comes on one side only, add one yard and it will be close. Number of Square Yards and Feet in Rooms with 7.6-foot Ceilings

3 1 4 1 5 1 6 7 8 1 9 1 10 1 11 1 12 1 13 1 14 1 15 1

	1 0			0				20	**	-	10			
3	11.0	13.0	15.0	17.0	19.0	21.0	23.0	25.0	27.0	29.0	31.0	33.0	35.	0 37.
4	13.0	15.1	17.2	19.3	21.4	23.5	25.6	27.7	29.8	32.0	34.1	36.2	38.	3 40.
5	15.0	17.2	19.4	21.6	23.8	26.1	28.3	30.5	32.7	35.0	37.2	39.4	41.	6 43.
6	17.0	19.3	21.6	24.0	26.3	28.6	31.0	33.3	35.6	38.0	40.3	42.6	45.	0 47.
7	19.0	21.4	23.8	26.3	28.7	31.2	33.6	36.1	38.5	41.0	43.4	45.8	48.	3 50.
8	21.0	23.5	26.1	28.6	31.2	33.7	36.3	38.8	41.4	44.0	46.5	49.1	51.	6 54
9	23.0	25.6	28.3	31.0	33.6	36.3	39.0	41.6	44.3	47.0	49.6	52.3	55.	0 57

	23.8 26.3 28.7 3		38.5 41.0 41.4 44.0		
10. 25.0 27.7	28.3 31.0 33.6 36 30.5 33.3 36.1 38	8.8 41.6 44.4	47.2 50.0		55. 0 57.6 58. 3 61.1 61. 6 64.5
1229.0 32.0 1331.0 34.1	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c cccc} 4.0 & 47.0 & 50.0 \\ 6.5 & 49.6 & 52.7 \end{array}$	53.0 56.0 55.8 59.0	59.0 62.0 62.1 65.2	65. 0 68.0
15. 35.0 38.3	8 41 .6 45 .0 48 .3 5 43 .8 47 .3 50 .7 5	1.6 55.0 58.3	61.6 65.0	68.3 71.6	75. 0 78.3
18. 41.0 44.6	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9.3 63.0 66.6	70.3 74.0	77.6 81.2	85. 0 88.6
22. 49.0 53.1	55.0 59.0 63.0 6 57.2 61.3 65.4 6 8 61.6 66.0 70.3 7	9.5 73.6 77.7	81.8 86.0	90.1 94.2	95. 0 99.0 98. 3102.4 105. 0109.3

	The amount indicated includes side walls and ceilings.  Number of Square Yards and Feet in Rooms with 8-foot Ceilings													
	1	lumb	er of	Squa	re Y	ards	and F	eet in	Room	s with		t Ceili	ngs	
	3	4	5	6	7	8	9	10	11	12	13	14	15	16
4 5 6	13.7 15.8 18.0 20.1	16.0 18.2 20.4 22.6	18.2 $20.5$ $22.8$ $25.2$	20.4 $22.8$ $25.3$ $27.7$	22.6 25.2 27.7 30.3	24.8 $27.5$ $30.2$ $32.8$	24.3 27.1 29.8 32.6 35.4 38.2	29.3 32.2 35.1 38.0	40.5	33.7 36.8 40.0 43.1	36.0 39.2 42.4 45.6	44.8 48.2	40.4 43.8 47.3 50.7	42.6 46.2 49.7
10 11 12 13	$   \begin{array}{r}     26.4 \\     28.5 \\     30.6 \\     32.7   \end{array} $	$   \begin{array}{r}     31.5 \\     33.7 \\     36.0   \end{array} $	32.2 34.5 36.8 39.2	35.1 37.5 40.0 42.4	38.0 40.5 43.1 45.6	40.8 43.5 46.2 48.8	41.0 43.7 46.5 49.3 52.1 54.8	49.5 52.4 55.3	55.5 58.5	52.4 55.5 58.6	55.3 58.5 61.7 65.0	61.5 64.8 68.2	61.1 64.5 68.0 71.4	64.0 67.5 71.1 73.6
16 17 18	39.1 41.2 43.3	42.6 44.8 47.1	46.2 48.5 50.8	49.7 52.5 54.6	53.3 55.8 58.4	56.8 59.5 62.2	57.6 60.4 63.2 66.0 71.5	64.0 66.8 69.7		71.1 74.2 77.3	74.6 77.8 81.1	78.2 81.5 84.8	81.7 85.2 88.6	85.3 88.8 92.4
22	51.7	156.0	60.2	64.4	68.8	72.8	77.1	78.4 81.3 87.1	85.5	89.7	94.0	94.8 98.2 104.8	102.4	106.6

The Oldest and Largest Exclusive Business of Its Kind

	Number of Square Yards and Feet in Rooms with 9-toot Ceilings													
	3	4	5	6	7	8	9	10	11	12	13	14	15	16
4 5 6 7	13.0 15.3 17.6 20.0 22.3 24.6	17.7 $20.2$ $22.6$ $25.1$	20.2 22.7 25.3 27.8	22.6 25.3 28.0 30.6	$25.1 \\ 27.8 \\ 30.6 \\ 33.4$	27.5 30.4 33.3 36.2	30.0 33.0 36.0 39.0	35.5 38.6 41.7	38.1 41.3 44.5	34.0 37.3 40.6 44.0 47.3 50.6	39.7 43.2 46.6	38.6 42.2 45.7 49.3 52.8 56.4	44.6 48.3 52.0 55.6	47.1 50.8 54.6 58.4
9 10 11 12 13	27.0 29.3 31.6 34.0 36.3 38.6	30.0 32.4 34.8 37.3 39.7	33.0 35.5 38.1 40.6 43.2	36.0 38.6 41.3 44.0 46.6	39.0 41.7 44.5 47.3 50.1	42.0 44.8 47.7 50.6 53.5	45.0 48.0 51.0 54.0 57.0	48.0 52.0 54.2 57.3 60.4	51.0 54.2 57.4 60.6 63.8	54.0 57.3 60.6 64.0 67.3 70.6	57.0 60.4 63.8 67.3 70.7	60.0 63.5 67.1 70.6 74.2 77.7	63.0 66.6 70.3 74.0 77.6	66.0 69.7 73.5 77.3 81.1
16 18	41.0 43.3 48.0 52.6	$\frac{47.1}{52.0}$	50.8 56.0	54.6 60.0	$58.4 \\ 64.0$	$62.2 \\ 68.0$	$66.0 \\ 72.0$	69.7	73.5	74.0 77.3 84.0 90.6	81.1 88.0			92.4 100.0

The amount indicated includes side walls and ceilings.

Number of Square Yards and Feet in Booms with 10-foot Ceilings

Number of Square Yards and Feet in Rooms with 10-root Cennings											nys			
	3	4	5	6	7.	8	9,	10	11	12	13	14	15	16
4	16.8	19.5	22.2	22.0 24.8	27.5	30.2	32.8	32.2 35.5		37.3 40.8	39.8 43.5	42.4 46.2		47.5 51.5
6	22.0	24.8	27.7	27.7 30.6	33.5	36.4	39.3	38.8 42.2 45.5	45.1	44.4 48.0 51.5	50.8	53.7		55.5 59.5 63.5
				33.5 36.4				48.8		55.1	58.2			67.5
10	32.3	35.5	38.8	39.3	45.5	48.8	52.2	55.5		58.6 62.2			68.3 72.2 76.1	71.5 75.5 79.5
12	37.3	40.8	44.4	45.1 48.0 50.8	51.5	55.1	58.6	62.2	65.7	65.7 69.3 72.8	69.2 72.8 76.5	76.4	80.0	83.5 87.5
14	42.4	46.2	50.0	53.7	57.5	61.3	65.1	68.8	72.6	76.4			87.7	91.5
16	47.5	51.5	55.5	56.6 59.5 62.4	63.5	67.5	71.5	75.5	79.5		87.5	91.5		
18	52.6	56.8	61.1	65.3 71.1	69.5	73.7	78.0	82.2	86.4	90.6	94.8	99.1	$103.3 \\ 111.1$	

	The amount indicated includes side walls and ceilings.													
	Number of Square Yards and Feet in Rooms with 12-foot Ceilings													1-4
1112	3	4	5	6	7	8	9	10	11	12	13	14	15	16
4 5 6 7	$23.0 \\ 26.0 \\ 29.0$	23.1 $26.2$ $29.3$ $32.4$	26.2 $29.4$ $32.6$ $35.8$	29.3 32.6 36.0 39.3	32.4 35.8 39.3 42.7	35.5 $39.1$ $42.6$ $46.2$	$38.6 \\ 42.3 \\ 46.0$	45.5 49.3 53.1	52.6 56.5	48.0 52.0 56.0 60.0	51.1 55.2 59.3 63.4	62.6 66.8	61.6 66.0 70.3	60.4 64.8 69.3 73.7
10 11 12 13	41.0 44.0 47.0	41.7 44.8 48.0 51.1	45.5 48.7 52.0 55.2	49.3 52.6 56.0 59.3	53.0 56.5 60.0 63.4	56.8 60.4 64.0 67.5	57.0 60.6 64.3 68.0 71.6 75.3	68.2 72.0 75.7	68.2 72.1 76.0 79.8	72.0 76.0 80.0	75.7 79.8 84.0 88.1	79.5 83.7 88.0 92.2	83.3 87.6 92.0	87.1 91.5 96.0 100.4
16 17 18	56.0 59.0 62.0	60.4 63.5 66.6	64.8 68.1 71.3 77.7	69.3 72.6 76.0 82.6	73.7 77.2 80.6 87.5	78.2 81.7 85.3 92.4	90.0 97.3	87.1 90.8 94.6 102.2	91.5 95.4 99.3 107.1	96.0 100.0 104.0 112.0	108.6 116.8	104.8 109.1 113.3 121.7	109.3 113.6 118.0	113.7 118.2 122.6
1683200	FOR C	2000	The	amou	nt in	licate	d incl	udes s	de wal	lls and	ceilin	28.		



# There Is Something About Goldblatt Tools That Makes Every User of Them a Permanent User

#### READ THESE TESTIMONIALS

Mar. 27, 1924.

Gentlemen:

Received my tools all O. K. Well pleased, and extremely so with the 2CF trowel. It's a trowel I've been looking for for a long time. I would have written you sooner but expected to send another order before now, nevertheless I will want more tools Respectfully, shortly. Thanking you, I remain

J. C. Piell, New Brunswick, N. J.

# **Every User of Goldblatt Tools Recommends Them**

Mar. 31, 1924.

Dear Sirs:

I am this day in receipt of the too's I ordered of you and as usual they measure up to the "High Standard" for which Goldblatt Too's are noted. Thanking you for all past favors, and wishing you continued success, I remain Yours truly,

Ray Rogers, Fremont, Neb.

# **Every Order Receives Our Personal Attention**

May 5, 1924. Dear Sir:

Inclosed find money order for the above list of tools. Will say you put out the best plastering trowel I ever used. I have been using one of your No. 250F Finishing Trowels for a year and it is as straight as the day I got it, and I have been using trowels for over 30 years. Please mail me a catalog, as I had to borrow Yours, one from my apprentice,

F. E. Werner, Roseburg, Oregon.

## Send Us Your Orders - You Will Receive Just What You Want

Dear Sirs: Dear Sirs:

Am in need of some Tools and Supplies, what have you to offer?

A short while ago I ran across one of you little catalogs in which
I saw just the things I want, but I could not get the catalog as
the bricklayer valued it too highly to part with it. Please send me
one.

Yours, very truly,

Frank A. Miller, 6 Miller Ave.. Batavia, N. Y.

Kansas City, Mo.

### These TESTIMONIALS Are the Proof of the Pudding

Dear Sir:

I have used several different trowels for finishing concrete but I find that the Goldblatt No. 2CF Trowels are the best I have used. Will you please send me one of your catalogs as I lost the one I had and I want to send you an order.

> Stanley Glish, c/o Sinclair Gas Plant No. 9 Box 6, Shidler, Okla.

Sept. 15, 1924.

Dear Sir:

Tools received with great satisfaction. I am just tickled to death over them. Sir you will find inclosed 25c in stamps, balance due you. I am very sorry I made such a mistake. I will close by saying I am expecting to give you another order pretty soon as I am well pleased with this one. Your customer.

Very truly, G. S. Patterson, Biloxi, Miss.

### We Receive Thousands of Similar Testimonials

Dear Sir:

Enclosed please find money order for \$12.30. I know your tools are of the best, because I have heard many plasterers praise them highly. I remain,

Harvey Easley, San Pedro, Calif.

April 26, 1924.

Dear Sir:

Rec'd my order a few days ago, everything more than satisfactory. Showed the tools on the job and as a result am sending this \$25 order. Doesn't take a salesman to sell your goods. They sell themselves. Please send some more catalogs.

Respectfully,

R. P. Bryce, Ft. Wayne, Ind.

### Every User of Goldblatt Tools Is a Satisfied User

Sept. 28, 1924. My Dear Sir:

I received my order from you and want to say that the Brush and Finishing Trowel is by far more than I expected. I also want to say that the Sand Finishing Carpet I got from you is a big bargain. I will recommend any and all of Goldb'att Tools to any plasterer or brick mason anywhere, anytime. I am gradually replacing my worn out tools with Goldblatt's. Let anybody ask me about your tools and you will gain another customer.

Your old customer,

Tom Eckerd, Elk City, Ok'a.





### **IMITATORS**

Have Not Only Attempted to Imitate the General Style of Our Trowels

But we have discovered some who imitated our etching design on the blade. So to safeguard and protect our friends and cus-tomers against impostors, we are now using a steel die with which we indent our Trade-Mark in the post of every trowel.

YOU CAN, THEREFORE, ALWAYS IDENTIFY THE GENUINE GOLDBLATT TROWEL BY THE INDENTED TRADE-MARK ON THE POST


Goldblatt Tool Co.,

Kansas City, Mo.

### What others have to say about GOLDBLATT TOOLS







Trimmed with the finest quality of Lock, Catches, Reinforcements and Solid Leather Handle

This GOLDBLATT Genuine Hard Vulcanized Fiber Tool Case opens in such fashion so that every part of the case is easy to get into and readily find the smallest tool that you may carry therein.

### Made in Three Sizes

No	8 Junior	10	12
Size	18x10½x6½	20x14x6	24x15x6½
Weight		7-lbs.	8-lbs.
Price each only		\$8.65	\$8.95



Hundreds of our customers write and tell us how much they like our Hard Vulcanized Fibre Tool Case.

You will like one, too.

### The Genuine Goldblatt Hard Vulcanized Fibre Tool Case



### Please Notice Every Detail

In the construction of this popular Tool Case. A great deal of pains was taken to produce these pictures so that you can visualize exactly what this wonderful Tool Case is. Note the sturdy construction. Note the excellent quality lock and catches and other trimmings. Not a splinter of wood in it. Worth its weight in gold. A high quality product surpassing in quality, workmanship and durability all imitations at prices even lower than imitations.

20" Size—Each.....\$8.65 24" Size—Each.....\$8.95

For further description see preceding page.

An Exact Top View

### Our Junior Hard Vulcanized Fibre Tool Case



An Exact Side View Reproduction.

A very popular size for Bricklayers, Tile-Setters, Lathers, etc., etc. Very often preferred by some mechanics instead of the canvas tool bag.

Elk City, Okla., May 19, 1924. Dear Sir:

I received the margin trowels I ordered from you and want to say they are more than a good mechanic can afford to be without at any price. I would not take twice what I paid for mine. There are four plasterers in the same company with me and I have convinced them that Goldblatt Tools are the best on the market. We are going to send in a real order next week. One of the boys was going to have a tool case made and I told him about the tool cases in the Goldblatt Catalog, now he wants me to order him one, so you may send us one of the hard vulcanized fibre tool cases, the largest size. The one the man is standing on in the catalog.

Our goods are original and cost no more

# LEVEL COVER OR CASE—Protect Your Plumb Rule





Made of best quality brown color canvas. Made for hard and long wear. Well worth the money you spend on one if you take a pride in the looks and condition of your Level. These Level Covers will fit any four-foot Plumb Rule or any Plumb Rule of shorter length.

MANSAS CITYMO

Will Fit Wood or Aluminum Levels

LEVEL COVERS

Made o' best quality brown color canvas.

0

No. 1—For 18 in. Levels. Price, each.

one at the top and the other just below the center, both reading the same way, add to its convenience. For advantage in our wood and aluminum Plumb Rules over all others is that they are of double construction. No matter how they are picked up they are always in position for use, while the duplicate plumb glasses, low work, upper plumb glass is read, and for overhead work the low glass is in range. Our complete line The vials of all our aluminum Levels are set the same way as in our wood Levels, covered by plate glass on both sides protecting them and making these important parts dust, dirt and waterproof. The great comprises the most popular Levels made.

-78

No. 5-Price, each.

## SHORT LEVELS PLASTERERS', BRICKLAYERS', TILE-SETTERS' AND CEMENTERS'



No. 4-Price, delivered to your door

identically the same as the construction in our Mason's Levels, on following pages. The construction of all these Levels is This is a white pine stock, 18 inches long

\$1.75

Very narrow and neat 18 \$2.00

> Price, Each. inches long.

**1** 

1

No. 10-White Pine.

### ALUMINUM LEVELS

18-Inch ... 12 Inch \$2.75

24-Inch

\$4.00

Are Levels is the Best Our Line o Our Prices and

42-Inch \$7.50

30-Inch \$5.50

28-Inch \$4.75



Price, Each, delivered to your door.

No. 9-Length

. 24-Inch Price, Each, delivered to your door \$4.25 No. 11-Length.

79

\$3.50



No. 1—This Rule is made of white pine, is 4 feet long, 25% inches wide and 13-16 inches thick. It has four plumbs and two levels. Plumbs or levels either end or edge up, and has two hand-holes. It is a narrow, light and very neat plumb rule. (Guaranteed to be on the dot.) No. 1-Price, delivered to your door.

12 

No. 2—This Rule is same size as No. 1 and made exactly the same as the No. 1, but it is brass bound around all edges and corners, and has Brass End Plates. No. 2 -Price, delivered to your door ....



No. 20-Solid Mahogany-Brass End Plates Very Narrow and Neat-4 feet long. Price, delivered to your door.

..... \$5.65

-80

\$4.50

### All Our Plumb Rules Have the Permanent Painted Marks on the Vials and NOT Wires



.. \$6.75 No. 333-3 piece—White Pine Center with Hardwood Edges, Brass End Plates—Very Narrow and Neat 4 feet Long Price, delivered to your door ...




No. 3-White Pine-Brass End Plates, Very Narrow and Neat-4 Feet Long Price, delivered to your door ...



\$7.00 No. 40—White Pine Brass Bound—Brass End Plates, Very Narrow and Neat—4 Feet Long Price, delivered to your door. PADE MARK RECISTERS

### The Original and Genuine "Trowel Brand" Celluloid Tools


### For Composition Workers



No. 1—Small Smoother, size 2"x5", each	65c
No. 2—Float or Trowel, size 4"x9\\[\frac{1}{2}\]", each	1.50
No. 3—Base Tool, size 5", radius 1", each	3.00
6" on long side, 4" on short side, other	
sizes made to order.	
No. 4—Small Edger, size 3¼"x3½", radius "¼,	
each	75c
No. 5—Small Edger 3"x3½", radius ½", each	75c
No. 6—Pointing Trowel 2½"x5½", each	90c
No. 7—Curve Edger 2"x4", radius 1", each	75c
No. 8—Curve Cove Edger 2"x4", radius 1", each.	75c
No. 9—Margin Trowel 1%"x5", each	90c
No. 10—Small Cove Edger 3"x3½", radius ½",	
each	75c

The above tools are used in the installation of composition Drain Boards, Bath Room Floors and Base, etc. Expert workers in this line will tell you that our line of celluloid tools shown above are the original and the most dependable.

### Goldblatt Tool Co. Kansas City, Mo.



### AUDELS MASONS and BUILDERS GUIDES



for

### Bricklayers, Stone Masons, Cement Workers, Plasterers and Tile Setters

If you now want to know the advancements in building progress—save mistakes—save work—save material—solve your problems—increase your efficiency—it will pay you to examine Audel's Masons Guide—4 numbers.

These Guides are bound in attractive, flexible covers with gold edges, making them a pleasure to use; paper is a beautiful clear white stock, with clear pleasing type, easy to read Titles stamped in gold. The volumes present a professional appearance. The 2,067 illustrations are graphic, quickly and easily understood and the information is quickly applied. Practically every page has an illustration, thus making the text interesting, useful and practical. Supplied separate at \$1.50 a number.

PRICE—SIX DOLLARS (COMPLETE SET)
COLDBLATT TOOL CO.

Audel's Masons & Builders Guides are just ready; they give information in handy form, easy to use, showing 2,067 illustrations, plans and working methods of the best, approved outlines of work and materials, including instructions how to lay out and figure various jobs -1,100 pages of inside practical information which will increase your range of knowledge.

- How to distinguish clays.How bricks are made.
- -How to fix mortar.
- -How to use bricklayer's tools.
- How to handle the materials.
  How to lay brick.
  How bricks are bonded.

- -How thick brick walls should be.
- —How to brick around openings.
- -How to lay out arches.
- -How to place anchors.
- —How to build foundations.
- —How to brick up boiler settings.
  —How to build chimneys.
- -How to do ornamental brickwork.
- How to repair old brickwork.
  How to figure brickwork.
  How to handle hollow tile.
- -How to set tile.
- -How to mix concrete.
- -How to operate the mixers.
- -How to place concrete.
- -How to make concrete forms.
  - How concrete is reinforced.
  - -How to build stucco.
- -How to build with concrete blocks and tile.
  - -How concrete is made waterproof.
- -How to estimate.
- —How to read blue prints.
- -How to lay out foundations.
- -How to plaster.
  - -How to do stone masonry work.
- —How to use structural steel.

1522 Walnut St., Kansas City, Mo.



BRAND

**Audel's Carpenters** 

**NEW TRADE INFORMATION** 



\$1.50 per Vol.—Complete Set \$6 pocket Size—FLEXIBLE COVERS

Beautifully Bound With Gilt Edges - Easy to Read - Easy to Apply

- If you wish to learn from the experience of successful Carpenters and Builders.
- 2. If you wish to work with less effort and greater efficiency.
- 3. If you wish to eliminate mistakes.
- 4. If you wish to solve trade problems.
- 5. If you wish to know labor saving devices.
- 6. If you wish to be familiar with valuable new ideas methods, plans, short cuts or trade practice.
- 7. If you wish to have complete, accurate information at your finger tips.

COLDBLATT TOOL CO.

### and Builders Guides **ANSWERS YOUR QUESTIONS**

Guide No. 1-Over 431 pages-1200 Illustrations-Few of the important features:

- How to know the different kinds
- of wood.
- How to use the different kinds
- of wood.

  -Complete detailed information on nails and screws.

  -How to use carpenter's tools.
- How circular and band saws are handled.
- -How to use the steel square. -How to sharpen tools.
- How to file and set saws. How to make wood joints.
- Complete information regarding joints and joinery.

- -How to build furniture.
- How to make a tool box. How to make a work bench. How to make "horses" or trestles
- -How to make a mitre box.
  -How to make a mitre shooting
- board.

- DOGRU.

  How to plumb and level work.

  How to use the chalk line.

  How to lay out work.

  How to use rules and scales.

  How to use vises and clamps.

  How to use all of the carpenter's tools, with over 900 illustrations showing specifically how.

### Guide No. 2-Over 455 pages-400 illustrations-some of the big features:

- How to understand carpenter's arithmetic
- -How to understand geometry. -How to understand trigonome-
- How mathematics is simplified for carpenters.
- How to solve mensuration probhlems
- How to estimate the strength of timbers.
- How to proportion beams.
   How to use drawing instruments. to make architectural -How drawings.

- How to read plans.

  How to survey.

  How to draw up specifications.

  How to estimate the cost of
- buildings.

  How to build houses, barns, garages, bungalows, etc.

### Guide No. 3-Over 255 pages-400 illustrations-some of the principal subjects covered:

- How to excavate foundations.
- How to build foundations.

  How to make foundations water
- proof.

  How to erect post foundations.

  How to build forms for concrete
- foundations. How to proportion foundation
- footings.
- -How to frame houses.
  -How to set girders and sills.
- -How to set girders and sins.
  -How to construct built-up sills.
  -How to frame joists.
  -How to allow for variation of
- joists.
- How to construct a well hole.
  How to frame a studding.
  How to frame corner posts.
- -How to lay out and cut braces.

- How to attach lath to corner
- posts. How to frame temporary and
- permanent braces. How to frame girts and ribbands
- How to set window frames.
  How to frame braces and parti-
- tions. to distinguish various -How
- types of roofs.
  -How to distinguish various
- rafters. How to use the settings 12, 13
- and 17 on the steel square.
- -How to lay out mitre cuts.
  -How to use tangents, and full detailed information covering sky lights, scaffold and hoisting apparatus.

### Guide No. 4-Over 448 pages-400 illustrations-some of the salient points covered:

- How to put on wood, fibre and metal shingles.

  How to lay gravel roofs.

  How to lay tin roofs.

  How to hang doors.

  How to frame windows.

  How to put on sleathing.

  How to put on slding.

  How to put on slding.

  How to do cornice work.
- —How to build stairs.

  —How to lath.

  —How to lay floors.

  —How to put on interior trim.

  —How to put on locks and other
- fittings.
- How to paint.

  How to give first aid to the injured, and many other important and useful "Hows."

### 1522 Walnut St., Kansas City, Mo.

### Tile-Setters' and Marble Workers' Tools

Hand Made Best Quality Plain Chisels

	COLDBLATT				
ze of steel		1/4 in.	5% in.	3% in.	1/2 in

Price, per dozen 2.25 2.85	Price, each			
----------------------------	-------------	--	--	--

Hand Made Best Quality Tooth Chisels



Size of steel	1/4 in.	5/16 in.	$\frac{3}{8}$ in.	½ in.
Price, each	\$0 25	\$0.30	\$0.35	\$0.50
Price, per dozen		2.85	3.45	5.25

### Hand Made Best Quality Points

COLDBLATT			Tales in the least of	
Size of steel				
Dries non doren	9 95	9 95	9 45	5 25

Hand Made Best Quality Splitters or Lifters



Size of steel	1/4 in.	5/6 in	3/8 in.	½ in.
Price, each	\$0.25	\$0.30	\$0.35	\$0.50
Price, per dozen	2.25	2.85	3.45	5.25


We can furnish any of the above Chisels with Mallet Heads upon request, at same prices. Those with Hammer Heads are sent if not otherwise specified.

### Best Hand Made Short Tile-Setters' Plain Chisels

· 其 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Short	hammer	head.
COLOBIATY	Assorted	lengths	from 4
to 5 inches. Made from 1/4 a	nd is inch	steel.	
No. 17—Price, each			15c
No. 17-Price, per dozen			\$1.60

### Tile-Setters' and Marble Workers' Tools Double Power Ceramic Tile Cut-Nippers

The opening in the frame is large enough to allow the jaws to be adjusted for wide opening as shown in cut, thus fitting them to be used in cutting tile, for which purpose they are highly recommended by many tile workers who are now using them. The jaws can



be easily replaced when necessary.

be cashy replaced when hecosally.	
No. 235-5½-inch. Price, per pair	3.45
No. 235—7-inch. Price, per pair	4.10
Extra Jaws, per pair (State for which size)	.85
Extra Screws for Jaws, each (State for which size)	.05
Extra Splines for Jaws, each (State for which size)	.05
Extra Springs	.05



### Tile-Setters' Hammers

No. 1T—Weight, 3 ounces ...,......7

### Metal Lathers' or Tile Setters' Snips

The very best quality.



umber	Full Length	Length of Cut	Price, Each
10	11 1/2 inches	2 ½ inches	\$1.85
9	12 1/2 inches	3 inches	
8	13 ¾ inches	3 ½ inches	2.30

### Wall Tile Nippers



Made of Extra Refined Tool Steel, Polished Jaws, Claw and Screw Driver Handles.

 Size, inches
 6
 8
 10

 Price, each
 \$0.60
 \$0.75
 \$0.95




### Hand Made, Best Quality Lettering Hammers

Also Used by Tile Setters and All Marble Workers Small and Dainty—Handled



½ pound size. Price, each.....\$1.50





34 pound size. Price, each................................... 1.75



Goldblatt Tool Co., Kansas City, Mo.

### Goldblatt Tool Co. Kansas City, Mo.



### Carborundum Rub Bricks

Used for dressing and smoothing granite, marble, tile, Terrazzo, etc.

Size	4x2x2 6x2x1	inches.	Price,	each
Size	6x2x2	inches.	Price.	each
Size Size	8x3x3 8x6x2	inches.	Price,	each

The above prices apply in less than one dozen at a time. In lots of one dozen to three dozen deduct 10%. In lots of three dozen to ten dozen deduct 15%. In lots of ten to twenty dozen deduct 20%. In lots of over twenty dozen deduct 25%.

Made in Extra Coarse Grit, Coarse, Medium, Fine and Extra Fine. When ordering state what grit is desired.

### Recommendations for Different Uses.

For Grinding....30, 40 or 50 50, 60 or 80 50, 60 or 120 120 or 150 120 or 150 120 or 150 120 or 150 150 or 150 o

For example, 30 grit is the coarsest and 150 grit is the finest.

We can furnish special shapes for different kinds of grinding and polishing machines.



### Stone Cutters' Mash Hammers—Unhandled

2 or 3 lb. size, each ......\$1.35 3½ or 4 lb. size,

each ...... 1.50

Prices on this Page are F. O. B., Kansas City. If you want them sent Prepaid, add 15% to prices.


The 15% prepay charge on this page is in addition to parcel charges explained on inside front cover.




### Hand Made Best Quality Stone Cutters' Tools



No.	26-5%-in.	Steel.	from	1	to	2-in.	bit,	each	65c
No.	27-3/-in.	Steel,	from	1	to	2-in.	bit,	each	80c



### Pitching Tools



No	. 031	31	32	33
Size of steel	16-in.	3/8-in	½-in.	%-in.
Width of bit	. 40c	40c	50c	\$1.25

### Points



 No.
 27 P.
 28
 29
 30

 Size of steel.
  $\frac{1}{2}$  in.
  $\frac{5}{8}$  in.
  $\frac{3}{4}$  in.
  $\frac{7}{8}$  in.

 Price, each.
  $\frac{50c}{50c}$   $\frac{55c}{50c}$   $\frac{60c}{70c}$   $\frac{70c}{70c}$ 



### **Bush Hammers**

4, 5 or 6 pound sizes. Price, per pound. 80c

### Tooth Axes

3, 4 or 5 pound sizes.

Price, per pound .50c





### Stone Masons' Hammers


The long slender pattern with thin striking head.

5, 6, 7, 8 or 9 pound sizes. Price, per pound......


Other sizes to order

### Star Drills

For Cutting Through Brick, Stone or Concrete



### Long Bull Nose Points For Boring Through Brick, Stone or Concrete



Prices on this Page are F. O. B., Kansas City. If you want them sent Prepaid, add 15% to prices.

The 15% prepay charges on this page is in addition to parcel charges explained on inside front cover.


### Masons' Setting Bars



### About 24 Inches Long

No. 41—Weight, 3 pounds. Price, each......\$1.25

### Masons' or Carpenters' Wrecking Bars




No. 45	Length, Inches	Size of Steel Inches	Price, each
	12	1/2	30c
	18	5/8	45c
	24	3/4	65c
	30	3/4	75c

Stone Cutters' Mallets

Our mallets are made of strictly second growth Michigan Hickory. They are carefully turned in the

m ost approved shape, and are thoroughly sea-

soned before marketing, no mallet being allowed to leave our factory until it has had




Prices on above articles, F. O. B., Kansas City. If wanted sent prepaid, add 20% to above prices.

The 20% prepay charges on this page is in addition to parcel charges explained on inside front cover.

### Goldblatt Tool Co. Kansas City, Mo.


### Wood Mortar Hods

This Hod is made of selected white pine. It is well ironed and water tight. Inside dimensions are as follows: Sides are 22 inches long and 13 inches wide. Width across



the top is 14 inches. Handle is 4 feet long. Our Hods are balanced in such a manner that makes them easier to carry than the average hod, and they are demanded by hod carriers everywhere. Please do not compare our Hod with the ordinary kinds.

No. 100—Price, each, F. O. B. Kansas City......\$4.75




This Hod is also made of selected White Pine but not ironed so much as the one above. We find however, that this Hod because of it being smaller in size, does not require so much iron trimmings. Inside dimensions are as follows:

The sides are 21 inches long and 9 inches wide; the width across the top is 12 inches; handle is 4 feet long. A very popular Hod.

No. 100S—Price, each, F. O. B. Kansas City . . . . . \$3.50

### Wood Brick Hods

Our wood Brick-Hod is made of selected white pine, well ironed and otherwise the same as the Mortar Hod in general workmanship. In-







BRAND

DARK MARK

### Galvanized Steel Mortar Boxes



Our Heavy Duty Steel Mortar Boxes are a great improvement over the wooden mortar box: does not leak and has no rough edges to catch the hoe while mixing mortar. This box is easy to handle and can be readily placed on a wagon and moved from job to job. No tile layer, plasterer, mason or contractor should be without one. Made of No. 16 gauge galvanized steel with 1½ inch angle iron around the top. Seams are riveted and soldered.

Width. Depth. Length,

No. 1	Inches.	Inches.	Feet.	Weight.	Price. \$17.45
No. 2	40	12	6	125	18.65
		rices, F. O.			

Credit checks of any kind not accepted as part payment of above. Our Light Duty Mortar Boxes are made of 20 gauge galvanized in and are \$2.50 less on either size than the Heavy Duty. If these are wanted, specify Light Duty.



No. 8 Mesh

### Brick Handlers or Tongs


This Brick Handler will carry as many as 10 brick and can be adjusted to carry a smaller number of brick.

No. 140—Price, each.....\$2.25 F.O.B. Kans. City

No. 6 Mesh



"Netmesh" Diamond Expanded Metal Lath Our Prices Save You Money
FIRE-PROOF, RAT-PROOF Does Not Swell or Shrink



able of Sizes and Weights In Different Gauges as follows:


No.	Size of	Sheets	No. of Yards in Bdl.	Weight	Weight Per Bdl.	Price per Hundred Sq. Yds.
26 Gauge	24 in.x96 in. 24 in.x96 in. 24 in.x96 in.	9	16 16 16	2.20 2.50 3.40	37 lbs. 40 lbs. 54 lbs.	\$23.50

The above prices F. O. B. Kansas City.
The above prices subject to change.

We will be glad to quote you metal lath prices, delivered to your city, ask us.
When inquiring for a Delivered price on Lath, please state what

quantity you desire to buy.

### **Expansion Outside or Inside Corner Bead**



The "Expansion" Corner Bead is made in two styles, No. 1 for outer or exposed corners, No. 2 for inside corners.

"Expansion" Corner Beads are made of Tight-coated Galvanized Open Hearth Sheets in 8, 9, 10 and 12 ft. lengths. Crated in 500 and 1000 ft. lots. Weight Per 1000 ft., 240 lbs.

Price, per 1000 feet for Outside Bead.

S35.00

Price, per 1000 feet for Inside Bead.

On orders for less than 1000 feet, price is 2 cents per foot more. Above prices F. O. B. Kansas City.

Prices on Corner Bead Subject to Change. Samples Sent on Request.

Credit Checks can not be used applying to purchases of goods on this page



### The Electric Rotary Machine

Does as Much as 9 to 12 Men




Sandpapering Disc 14 inches in Diameter



For Sandpapering and refinishing wood floors old or new.

Stone Rub Holder Attachment.

For surfacing and polishing marble, mosaic terrazzo, etc.



Surfacing and Polishing

Marble

Mosaic Terrazzo

Cement

Composition

### For the Carpenter and Building Contractor

Sandpapering Refinishing Old Wood Floors Waxing and Polishing Scrubbing

The most economical machine on the market because it will do different kinds of work requiring several machines of other makes. It is successfully used in small quarters as well as large areas. Simple to operate, easily moved about, durable and practically fool-proof. Will produce a finish superior to any other machine. The machine is operated directly from the ordinary lighting socket. Cost of electrical power to operate from 1 to 3 cents per hour, depending upon the kind of work the machine is used for. For prices of machine and attachments see page 102.

### The Electric Rotary Machine Surfacing and Polishing Marble



Finishing one of the largest marble floors in Kansas City.

On ordinary new marble tile floors, one machine will surface about 500 to 1,000 square feet per day, and on some well laid floors we know of many cases where as many as 1,400 square feet per day have been rubbed and polished.

This average is based on marble floors of average density. The

use of our machine insures the work being done in a uniform manner, free from unevenness and irregularity so noticeable where hand rubbing is done or surfacing with some other type machines.

In Marble Works the machine is of great value where large slabs and other flat surfaces can be rubbed and polished in any part of the plant without moving these large, bulky pieces to rubbing

Another valuable feature is that the machine can be easily operated in small quarters such as Bath Rooms, Vestibules, Sun Parlors, Porches, around Wash Stands and the like, which cannot be accomplished with truck type machines.

Rubbing and polishing can also be done on a bench, the handle being adjustable to any angle desired. For this work we supply a

special handle.

The weight of the machine with attachment and rubs for this work is about 100 pounds and if desired this can be increased by about 25 pounds.

We have tried a great many machines but yours have ven far superior. We are now using three Electric proven far superior. Rotary Machines. THE AMERICAN & VENETIAN MARBLE COMPANY Kansas City, Mo.

We have been using two of your machines. They do good work and are very easy to operate.

THE ART MARBLE, MOSAIC & TILE CO.

Detroit, Mich.

Hundreds of Machines Sold 10 and 15 Years Ago are Still in Daily Use Today



### The Electric Rotary Machine Special Exclusive Feature



For cove base, wainscoting side walls, stairs, etc., our special cog-driven, universal four-jointed, flexible shaft has become extremely popular. This device is attached direct to the Electric Rotary Machine as shown in the above illustration. It requires only a few minutes to put on this attachment.

It is very easy to handle and of unusual strength and efficiency. Our users all agree that this special shaft does far superior work than could be done by hand and the saving of labor alone would pay

for the attachment within a few days.

Various sized and shaped grinding and polishing stones can be used with this attachment, in order to work in places having limited space.

We have been using your Electric Rotary Machine for several years and found it very satisfactory in all its branches, especially so in polishing terrazzo base, wainscoting, treads and risers and have also used it for polishing cement columns


in large buildings to great advantage.

To any one in the market for such work, we could frankly recommend your machine.

THE ITALIAN MOSAIC & MARBLE CO. Buffalo, N. Y.

Hundreds of Machines Sold 10 and 15 Years Ago Are Still in Daily Use Today

### The Electric Rotary Machine Sandpapering



The amount of sandpapering that can be done in a specified time, of course, depends entirely on the condition of the floor, and the grade of work desired. The machine will do as much as 3,500 square feet in one day, and then again not to exceed 500 to 600 square feet. Naturally where the matching is poor or the laying is faulty, it will take longer than on more select lumber and where the laying is The hardness of the lumber also determines the cutting good. speed.

Any imperfections in a floor are magnified when finish is applied. The Electric Rotary Machine will produce a sanded surface far superior to any other machine on the market, leaving the floor absolutely free from planer, sanding marks, fluff, "waves" and other

imperfections.

Another important feature is that the machine can be operated right up to the baseboard and within about two inches of extreme corners.

### Refinishing Old Wood Floors

For removing old finish expensive "varnish removers" are not uired. With our special made steel wire refinishing brush attached to the machine, and a solution costing but a few cents for each room (living room size) the old finish is completely removed, and the wood thoroughly cleaned in about one-tenth the time required by hand methods.

We have used the Electric Rotary Machine for sanding both new and old floors, and found that it does better work than any other machine that we ever used or saw in operation.

The machine does perfect work and is very easy to operate.

JOHNSON BROTHERS Worthington, Minn.

Hundreds of Machines Sold 10 and 15 Years Ago are Still in Daily Use Today



### BRAND

### Prices of **Electric Rotary Machine and Attachments**

Electric Rotary Machine, equipped with either AC (60 cycles*) or DC motors of 110 or 220
volts, roller starting device, 25 ft. extension cord, connecting plugs, and attachment
plate\$200.00
*If machine must be equipped with
AC motor for 25, 30 or 40 cycles, an extra charge of \$30.00 will be made
and if equipped with AC motor for
50 cycle current an extra charge of
\$17.50 will be made.  Extra Extension Cord,
Improved Stone Rub Holder complete with
attachment plate
Carborundum Stone Rubs, 2x2x4, all grits,
For quantity price on Stone Rubs, see page 91
Special four jointed Flexible Shaft Complete with handle and spindle attachment for
using carborundum wheel\$85.00
Carborundum wheels for Flexible Shaft 3x4½x¾"
No. 40 grit, Each 2.75
Combination Sandpapering & Polishing Attachment complete with attachment plateEach 9.50
16" Carborundum Paper Discs No. 30 grit Each .27½
16" Carborundum Paper Discs No. 60 grit Each .20
14" Steel Wire Brushes (for removing old finish
on wood floors)
14" Fibre Brushes for Scrubbing, Each 4.50 14" Fibre Brushes for Cleaning, Polishing and

We Guarantee Machine for One Year Against Inherent Defects of All Kinds Affecting Operation and Efficiency

The above prices are F. O. B. Factory. Deferred payment plan explained on request.

Complete instructions covering proper operation, maintenance of machine, as well as the different kinds of work for which the machine can be used, are furnished with the

Credit checks cannot be used applying to purchases of goods on this page.

Goldblatt Tool Co.,


Waxing....

Extra Attachment Plates.....

Kansas City, Mo.

Each

### Rub Brick Holders



For those not having enough use for a floor surfacing machine, we suggest this Rub Brick Holder. Handy for rubbing down a small job. Size 8x6x2 Rub Stones are used in this holder.

No. 1600-Price, each, F. O. B. Kansas City......\$3.00

Below is one of many unsolicited testimonials—Read it.

Dear Sirs:-

Some time ago I received from you some chisels and other tile settlers' tools and I wish to say that I found them to be of excellent quality. Enclosed please find money order for \$8.95 for one of your Tool Cases. Please mail me one of your catalogs also.

Yours truly,
H. N. GRONINGER,
128 King St.,
Charleston, S. C.

Kansas City, Mo.



### In War and In Peace

Regardless of the many concerns who, it is said, have done much profiteering in the past few years. We are glad to be able to say that we hold the record of

### No Profiteering

And our customers and users of GOLDBLATT Tools have appreciated this. It is therefore

### A Compliment

that brings us far more happiness and pleasure than the profiteerer can boast of.

### We Are Proud of

this record which we have attained. It's worth more to us than any dollar or hundreds of dollars that could have been obtained through inflated values, and

### This Reputation


for honest dealing and fair treatment is a policy which we will pursue in the future as in the past.

Sincerely,

### GOLDBLATT TOOL CO.

### A New Combination Transit-Level

Our "Sterling" Convertible Level should be of interest to every Architect, Building Contractor, Construction Engineer and all others requiring the use of an accurate, efficient and dependable Level for quickly establishing levels, lines, angles, etc.



### Now As a Level!


This Instrument possesses, in addition to all of the requisites of a high grade Level, a device consisting of two permanently attached hinged uprights for instantly converting the Instrument for use as a Transit with a range of over 45° of elevation and depression in the vertical plane. A single movement of a very ingenious Lock Lever secures the uprights and Telescope in accurate vertical alignment. The construction is so simple that it can be changed in ten seconds from a Level for use as a Transit and back again as quickly, without jarring the Instrument out of level.

The uprights when not in use are folded down against the Level Bar affording unobstructed view of the Level Vial when the Instrument is used as a level (see Fig. 1). Fig 2 on page 106 illustrates the process of mounting the Telescope in the hinged uprights for use as a Transit, the Telescope being held in such position that the uprights will engage the Telescope Trunnions provided for that purpose.

In Fig. 3 (see page 107) the Instrument is shown with the Telescope mounted in the uprights ready for use as a Transit. No detachable parts are required in making this change and as the device is self-contained there are no loose parts to be lost or mislaid—a feature of particular value in field work.

(see next page)

You will be well repaid for a few minutes spent in studying the "Sterling" Convertible Level, for in addition to its patent quick-change feature it possesses many radical improvements and exclusive advantages not found in the ordinary Builders' Level, and yet is so simple in construction that with a half hour's practice it can be mastered completely.



See It Changed!

### Specifications

Model No. 40

Telescope—13½" long, well balanced and dustproof throughout. 1½" aperture, clear flat field and abundant light. High power Eyepiece with improved spiral screw focusing head. Minimum focus about four feet.

Level Vial—5" long, ground and graduated, value 60 seconds.

Wyes—Strong and low set, provided with patent quick opening
Lock Screws.

Level Bar—Government bronze, reinforced and cast in one piece with center spindle.

Horizontal Circle—4¼" diameter, retained frictionally by spring tension and can be instantly set to zero; graduated to degrees and numbered in quadrants, the slant of figures indicating the direction of reading. Vernier conveniently located at 45° to line of sight, reading to five minutes.

Center—Long tapered, cast integral with bar. Reinforced non-cramping Leveling Head. Leveling Screws provided with permanently attached ball socket shoes. Clamp screw and slow motion screw for accurate setting.

Shifting Plate—Providing full ¾" shift on Tripod for quickly setting up Instrument exactly over any given point.

Continued on next page.

### Goldblatt Tool Co. Kansas City, Mo.

#### Specifications of Model No. 40 (Continued).


Convertible Device-Self contained, consisting of two permanently attached hinged uprights for instantly converting Instrument into a Transit with a range of over 45° of elevation or depression in the vertical plane. Spring tension trunnion clips for frictionally retaining Telescope in any desired position.

Lock Lever—A single movement locks Uprights and Telescope

securely in accurate vertical alignment.

Finish—Leatherized and gold lacquered.

Finish—Leatherized and gold lacquerec.
Carrying Case—Hardwood, with accessories, including Meta
Trivet for setting up Instrument on a wall, window sill, etc.
Weight—9 lbs. Solid-leg Tripod, 8 lbs.
An examination and test of our Model No. 40 will serve to
emphasize its superiority in every respect. By the employment
wherever possible of labor-saving machinery and also by quantity
production, we are in position to offer it at a price within reach of all.



Now As a Transit!

No. 40—"Sterling" Convertible Level....

#### "Sterling Level Rods"

For use with our "Sterling" Level we suggest any of the following Level Rods:

No. 261—Architects' Target Level Rod, divided to feet 10th and 100ths, verniers reading to 1000ths. 5½ feet extending to 1000ths. ing to 10 feet . . . . . . . . . .....\$10.00


No. 262-Architects' Target Level Rod, divided to feet, inches 

No. 264—Contractors' Target Level Rod, Philadelphia style but graduated feet, inches and quarters, 5 feet extending to 9 feet..... 16.00


Credit checks cannot be used applying to purchases of goods priced on this page.



#### Cementers' Groovers



Cuts thin groove for sidewalks, ½ inch deep. Straight on one end.





#### Cementers' Small Bit Groover




Cuts very small groove only ¼-inch deep. Straight on one end. Size 6 inches long by 25% inches wide. Most suitable for a floor groover. Made in Bronze and Aluminum only.

 No. 5B—Cast Bronze.
 Price, each
 \$1.50


 No. 5A—Cast Aluminum.
 Price, each
 1.50

#### Cementers' Large Bit Groover



Straight on one end—Size 6 inches long by 43/4 inches wide; one of our very popular numbers. Made in Bronze and Aluminum only.

#### Cementers' Edger



No. 135C—Iron; Nickel Plated. Price, each.....

The Largest Business of its Kind





BRAND

TRADE MARI

REGISTERED

#### Cementers' Sidewalk Edgers



#### Cementers' Step Edgers



As shown on the right end of above group.

Made of Trowel Steel—Straight Ends.

No. 6—5½" long, 2½" wide—Edge turned down 1½"—

Radius ¼"—Each

Can be furnished made of Bronze Sheet at \$1.25 more.


### Cementers' Sidewalk Edgers—Curved Ends



Made of Trowel Steel—Curved on Both Ends.
No. 9-6" long, 3" wide—Edge turned down \( \frac{5}{6}" - \text{Radius} \) \( \frac{8}{1.2} \) \( \frac{1}{1.2} \)

# Goldblatt Tool Co. Kansas City, Mo.

# Cementers' and Terrazzo Workers' Base Tools





Made of Trowel Steel Very Strongly Braced. Following sizes in stock:
No. 15-10" long, 6" wide one side-4" wide other side-No. 15-10" long, 6" wide one side-4" wide other side-Radius 1½"-Each

No. 16-10" long, 6" wide one side-6" wide other side-Radius 1½"-Each

No. 17-10" long, 8" wide one side-6" wide other side-Radius 1½"-Each \$3.50 Other sizes made to order within 24 hours from receipt of order. Either of above can be furnished made of Bronze Sheet. If of

#### Cementers' Base Tool

Bronze, No. 15-\$7.00; No. 16-\$7.50; No. 17-\$8.00.

Made of Trowel Steel in following size: No. 12-6" long-4" wide - Edge turned up 2"-


Radius 1"-Each ..... \$2.00

Can be furnished made of Bronze Sheet at \$4.00.



#### Cementers' Base Tool

This is similar to Base Tool at top of page and is of shorter length.



7 inches long, 4 inches wide; both ways, radius is 1 inch.
Made of Trowel Steel. No. C14-Price, each ...... ....\$2.75

Goldblatt Tool Co.,

Kansas City, Mo.




#### Inside Square Angle Tool

Length-6 inches. Sides-21/2 inches

This tool is made of trowel steel.

No. C39-Price, each..... 95c



Outside Square Angle Tool Length-6 inches Sides-2½ inches

This tool is made of trowel steel.

No. C38-Price, each.

. . \$1.50

#### Outside Round Angle Tool

Made of Trowel Steel

Length-6 inches Sides-21/2 inches



Made with either 1/4 or 1/2-inch radius. When ordering please state what radius is wanted. ...\$1.50 No. C38R-Price, each . .

Inside Round Angle Tool Also Used for Steps, Coves and Small Base




Made of Trowel Steel

Length-6 inches Sides-21/2 inches


Made with either 1/4 or 1/2-inch radius. When ordering, please state what radius is wanted. 

#### Cementers' Curb Edger



Straight on both ends. Most suitable as a Curb Edger. Size 6x7 inches. Depth of side 2 inches. Radius 1 inch. Made of trowel steel. No. 36-Price, each..... \$2.25


#### Cementers' Combination Curb and Gutter Tool




Made of Trowel Steel
Size 8 inches long, 2¼ inch sides, radius 1½ inches.
Especially designed for finishing the inner curve formed in making combined curb and gutter. No. C35-Price, each . . . .\$2.50

#### Curve Edger


For finishing curves and circles. Its shape permits the finishing of either the inside or the outside of any circular work. Made of cast iron, nickel plated,








#### New Idea Driveway Corrugating Tool



Where grooves across a driveway is desired 6" apart. This Tool undoubtedly is the only kind to use successfully. Please note the gauge along one side to guide the tool along a straight edge. This Tool is 6" wide overall, and 7" long. The depth of the edges is %". This Tool is made of Trowel steel and worth its weight in gold.

No. 66—Price, each.....\$2.50


#### Cementers' Corrugating Tool




Used to make a rough surface to prevent slipping. It is 6 inches long,  $4\frac{1}{2}$  inches wide; makes 11 grooves  $\frac{1}{8}$  inch deep,  $\frac{3}{8}$  inch apart. Iron, nickel plated.

No. 6—Price, each.....\$1.40

#### Cementers' Curb and Gutter Finishing Tools



No. 3—Price, each...\$3.25 6 inches high No. 4—Price, each...\$3.50 10 inches high



6 inches high 10 inches high

Special shapes and sizes made to order. When price is desired on special shape or size, submit exact sketch with your inquiry.



# Cementers' or Pavement Workers' Knee Pads




# You Cannot Afford to Be Without Them at Only \$2.75 a Pair

They prevent rheumatism, pneumonia, stiff neck and lumbago. They relieve the backache which usually comes with kneeling, because the pressure on the knee cap is almost entirely eliminated by the use of these Pads.


The above reasons are the most important ones in favor of our Knee Pads. You should use them, too, because they will prevent torn and ragged working garments, and they will make you more comfortable when kneeling.

They are made of best quality harness leather and lined with a durable soft felt. Shaped and made to please you. They will surprise you for quality and workmanship, and the price is only, per pair....\$2.75





#### Adjustable Blade Sidewalk Groover Eastern Pattern



Made of Die Cast Steel Sides with tool steel adjustable blade. Makes a fine looking groove %" wide at thickest point and can be adjusted to cut from ¼ to 1 inch deep. This Groover is 8½" long and 2½" wide, and weighs only 2 pounds. It's well balanced and a tool you will more than like.



#### Tamper

Our Tampers are made of steel. Are cor-rect weight and well bal-anced. Fur-

nished with a strong maple wood handle, 4 feet long. Prices on these are F. O. B. Kansas City.

No. C78—8x 8 in., steel face. \$2.25

No. C79—10x10 in., steel face. 2.50


No. C30—12x12 in., steel face. 3.00

Goldblatt Tool Co.,

Kansas City, Mo.

#### Long Handle Cementers' and Pavement Tools

Notice the automatic Double Action tilting device on these Long Handle Tools.



Blade, 24x5 inches
No. 1—Price, each, F. O. B. Kansas City........\$7.95

#### **Double Action Long Handle Groover**


Blade 16x5 in., with one Groover Attachment.


If Groover Attachment is taken off, it can be used same as above Trowel.

No. 2—Price, each F. O. B. Kansas City......\$7.50

This cut shows that by adding three of our No. 43 Groover Attachments to the tool above, you then have a four line groover.

No. 43—Groover Attachments. Price, each....90c






BOLION VILV

# Goldblatt Tool Co. Kansas City, Mo.

# Long Handle Cementers and Pavement Tools

**Double Action Long Handle Float** 



Blade 24x5 inches, slightly turned up edges.

No. 4—Price, each, F. O. B. Kansas City...........\$7.95

#### Double Action Sidewalk Groover


Size 10 in. long by 3½ in. wide. Cuts groove ½ in. deep by ½ in. wide at surface. No. 20—Nickeled Iron. Price, each, F. O. B. Kansas City.....\$5.50



#### Double Action Floor Groover

Length 10 inches, width 3¼ inches. Cuts thin and shallow bead for marking or blocking out floors.


No. 25—Nickeled Iron. Price, each F. O. B. Kansas City......\$5.50



TRADE MARK

REGISTERED

# Long Handle Cementers' Tools Double Action Edger



Size, 10 in. long by 4½ in. wide, ¾ in. radius. Has ½ in. by 4 in. projection on the form face to run on the rail as a guide.

No.300—Nickeled Iron—Price, each, F. O. B. Kansas City... \$5.25

#### **Double Action Edger**

Size of tool, 10 in. long by 3 ¼ in. wide, with ¼ Form Face, about 3% in. Radius.

No. 30—Nickeled Iron— Price, each, F. O. B. Kansas City......\$4.75

#### Cementers' or Pavement Workers' Brushes



6" wide—Stock 3¼" Out No. 545—Made of Tampico Price, each.......60c Price, per dozen...\$6.00

6" wide—Stock 4" Out No. 550—Made of Bristle. Price, each.......\$1.25 Price, per dozen...\$12.00

#### Long Handle Cementers' Tools

Dot or Indentation Rollers
3½ inches Diameter
7 inches Wide
No. 8—Iron. Price, each,
F. O. B. Kansas\_City, \$4.95

8½ inches Diameter
12 inches Wide
No. 80—Iron. Price each,
F. O. B. Kansas City, \$7.75



#### Line Rollers

3½ inches Diameter
7 inches Wide
No. 5—Iron. Price, each,
F. O. B. Kansas City, \$4.95

3½ inches Diameter12 inches WideNo. 50—Iron. Price, each,F. O. B. Kansas City, \$6.75



OUR LINE OF TOOLS
In Every Department Is Complete
You Can Get It All From Goldblatt

### BRAND

#### Repair List for Long Handle Cementers' Tools





No. 301-10"x416" blade only, for No. 300 edger. \$3.75 No. 302-Blade only, for No. 310 edger....



No. 20 jointer	\$3.50
No. 200B—Blade only for No. 20B jointer	4.50
No. 225—Blade only for No. 25 beader	3.50
No. 225B—Blade only for No. 25B beader	4.50



only for No. 03 edger ... \$3.00



No. 11-Stiff handle at-.\$1.00 tachment ..



No. 40-16" blade only, for No. 2 jointer....



No. 41 — 10"x31/4" blade \$3.00 only, for No. 3 edger, bronze 4.00



No. 42-D. A. device for any D. A. tool .....

No. 43-V-shaped ioints

No. 2 jointer, nickeled iron . Bronze .. 1.00




No. 44-Handle sockets, finished complete .....\$0.55 Prices on this page F. O. B. Kansas City.

Goldblatt Tool Co.,

Kansas City, Mo.

#### Special Concrete Spreading Hoe




No. 50—Made S shaped for either pushing or pulling the concrete, better than concrete rake, as it spreads without separating the coarse aggregate from the fine. Size of blade, 18 inches long, 7 inches wide, with 6 foot handle.

This tool should be on every job.

Price Each, F. O. B. Kansas City.....\$4.50

#### Goldblatt Cementers' Sidewalk Trowels




#### IT'S A DREAM

Made narrow and long with extra thin blade, which features are so much desired by expert Cement Finishers and Pavement Workers. Long mounting—twelve rivets. Finest Trowel on the market for this purpose.

# Concrete Sidewalk Brands Made of Bronze

Size About 4x8 inches



We can furnish either of the Following Styles

PORTLAND CEMENT PAVINGCO: 218 LA SALLE ST.

STYLE 1

STYLE 2

CHAS, MILLER CONTRACTOR ROCKFORD, ILL'

W.B.MYERS & CO. 1902 5640 CHICAGO AV. AUSTIN.

STYLE 3

Prices of above Brands are as follows:

4 lines, Price, F.O.B. Kansas City.......\$11.00
When ordering Brands, please furnish exact wording and

state which style Brand is wanted.

Credit checks can not be used applying to purchase of goods shown on this page.

#### Reversed Brass Letters and Figures for Imprinting

For imprinting name of streets in cement sidewalks or curbings at street intersections. These letters are cut very sharp and deep, thus insuring a good, clear impression. The lower edge of each letter is square, forming a guide to print absolutely straight. They are very easily spaced. Each letter and figure has a short handle.

t s s s s t t d l l etter

Figure figure has a

Put up in a neat box as shown below containing 27 letters; also 1 period, 1 comma, 1 dash and 1 straight edge.

Prices as follows:\$13.50Size  $1\frac{1}{2}$ -in. letters, complete set.\$13.50Size 2 -in. letters, complete set.\$16.50Size  $3\frac{1}{4}$ -in. letters. complete set.20.25



Size 1½-in.
Figures
complete
set......\$5.00
Size 2-in.

Figures complete set.....\$6.00

Size 3½-in.
Figures
complete
set.....\$7.50

Brass Letters and Figures for Imbedding

Used for imbedding in cement sidewalks or buildings. Will make very attractive names or numbers for advertisements of any kind for streets, sidewalks or store fronts. These letters and figures are ½ inch thick, of finely polished brass and they have lugs on the back for holding them securely in place. Prices according to the height of letter as given

below. When ordering, always state distinctly what letters of the alphabet or what figures you desire, and how many of each, and state size wanted.

 2-inch—Price, each
 \$0.55

 3-inch—Price, each
 .70

 4-inch—Price, each
 1.20


 6-inch—Price, each
 2.25

Credit checks can not be used applying to purchases of goods shown on this page.




BRAND

## White Metal Separate Letters for Molds



1





Reversed letters for cement block and brick molds; also dating building blocks, numbering cemetery posts, etc. These letters can be furnished with holes drilled for nailing to the mold with fine brads. Add one cent per letter for drilling. Brads furnished. Special prices in lots of 100.

	each				each	
	each	2			each	
	each	o .	men	letters,	Cacin	

### **Bronze Name Plates**

Everlastingly Advertise Your Work



Where it is desired to permanently affix your imprint, a name plate made out of solid bronze is the only practical thing, beautifully made they last forever, a monument to your en-deavor. To imbed into Cement Bridges, Monuments, Sidewalks, etc. Made in any size or style. Prices on application.

Give Size and Lettering Wanted. Also State Quantity

## Rotary Cement Stamp for Sewer Pipes and Blocks

These Stamps are very convenient and easy to manipulate, making a very clear impression. They will not break nor mar the pipe or block as the letters go into the cement gradually.



Prices on application.

#### Steel Stamps

For Stamping Name or Initials On All Kinds of Steel Tools.



This Stamp Can Also Be Used for Stamping Wood


Size o	of Lett	er																			I	91	i	C	9	Per	Let	ter	
1/18	Inch																									. \$0.0	35		ä
1/8	**															 8										6	5		
3/16	4.6																							0		7	5		
1/4	","	1						9			33															8	5		
3/8	66							Ü	i				0					Š								1.0	0		
1/2	66																									. 1.4	5		
5%	- 66																									. 2.0			
5/8 8/4	44																										0		
1			*																								0		
_1													*		. ,				 							. 4.0	U		

For Example a Stamp containing six 1/8" letters would cost \$3.90

minimum charge \$2.50.

### **Burning Brands**

For Burning Name or Initials in Shovels, Hods, Scaffolding, Wheelbarrows and Other Equipment.



			401				
Size, in inches 1/4	3/8	1/2	3/4	1	11/4	11/2	
1 letter\$2.40	\$2.40	\$2.50	\$3.00	\$3.75	\$4.00	\$4.25	
2 letters 2.65	2.70	2.70	3.60	4.50	4.75	5.25	
3 letters 3.00	3.00	3.20	5.00	5.00	6.25	6.75	
4 letters 3.35	3.50	3.70	6.50	6.50	8.00	8.50	
5 letters 3.90	4.00	4.20	7.00	8.00	10.00	10.50	
6 letters 4.40	4.50	5.50	7.50	10.00	11.00	12.50	
7 letters 4.75	5.00	5.90	9.00	10.50	12.75	13.50	
8 letters 5.25	6.25	6.75	9.50	12.25	13.50	15.00	
9 letters 5.60	6.60	7.10	11.00	12.75	15.00	16.00	
10 letters 7.00	7.50	8.00	11.50	14.50	16.00	18.75	
11 letters 7.30	7.80	8.30	12.25	15.00	18.50	19.50	
12 letters 8.10	8.60	9.10	*	15.50	19.25	23.00	
13 letters 8.50	9.00	9.75	*	18.00	20.00	25.00	
14 letters 8.80	9.75	10.00	*	18.50	23.00	*	
15 letters 9.70	10.00	*	*	19.00	24.00	*	
16 letters10.00	10.50	*	*	22.50	*	*	
17 letters10.50	10.75	*	*	24.00	*		
18 letters11.00	*	*	*	*	*	*	
*_Not made in t	hie cane	city					

\*—Not made in this capacity.

Two Periods in a Brand count as one letter. One Hyphen counts as one letter.

Single Period counts as one letter.


Prices on this page F. O. B. Kansas City.
Credit checks can not be used applying to purchases of goods shown on this page.

Goldblatt Tool Co.,

Kansas City, Mo.

### F-3 Material Barrow

With Angle Steel Legs and Braces



The very best all-around general purpose barrow made—Tray No. 16 gauge pressed from one solid sheet of steel, without seam or rivet, with heavy rod rolled in edge, 29x36 inches on top. Wedge is placed under tray. Frame is selected hardwood and is thoroughly braced and botted. Wheel is 16 inches in diameter, 1¾-5-16 inch tire, ½-inch spokes, and runs on a ½-inch steel axle. held to handles by heavy lugs. Weight per dozen, 825 pounds. Do not confuse these barrows with barrows having a rolled edge, but without a steel rod rolled in it. Price, each, F. O. B. Kansas City. .

#### F-4 Goldblatt Mortar or Concrete Barrow




Just the thing for contractors, cement and concrete workers 

shown on this page.



You may be the best mechanic of the two. But, when the two of you approach a boss for a job, he can't help but decide in favor of hiring the man with a neat kit of tools. A hint to the wise is sufficient.

#### Shovels and Mortar Hoes



# "Trouble-Saver" Adjustable Trestles

(Patented)


For Plasterers and General Utility

Quickly adjusted to height desired. Tested out for a ton. Strong and safe. Will last a lifetime.

A permanent investment—Not an every job expense.

Adjusts in 3 inch heights.

The picture below shows





lbs. per Trestle ...... Price \$ 5.

No. 3—No. 3 is 2 feet high at lowest point and 3 feet high at highest point. Adjusts in 3 inch heights. Weight 21 lbs. per Trestle Price \$ 6.

No. 6A—No. 6A is 4 feet at lowest point and 6 feet high at highest point. Adjusts in 3 inch heights. Weight 52 lbs. per Trestle......Price \$ 9.00

heights. Weight 52 lbs. per Trestle...... Price \$ 9.00

No. 8A—No. 8A is 5½ feet high at lowest point and 8 feet high at highest point. Adjusts in

3 inch heights. Weight 72 lbs. per Trestle. Price \$12.00 Height quoted for a 2x4 Timber for Ledger. Can use any timber from a 2x4 to a 2x12.

Prices are F. O. B. Factory.

Credit checks can not be used applying to purchases of goods shown on this page.

# YOUR CONFIDENCE

Is what we are always striving for. It is not big profits. It is the confidence our old and new customers have in us, and their steady patronage, which has helped us build the LARGEST EXCLUSIVE MASONRY TOOL AND SUPPLY BUSINESS.

Then, too, we have always striven to produce the very best quality Tools, and we have always given our customers the quickest possible shipments and service.

If you are one of our new customers you will remain our customer and friend, because we will serve you as we have always served our old customers, all of whom are our best friends.

Should you at any time misplace this catalog, or give it away to one of your friends, then don't hesitate to ask us for another copy.


Yours truly,

GOLDBLATT TOOL CO.

Kansas City, Mo.




Tools Bearing this
TRADE MARK
are always dependable.





BRAND

Stucco Brackets
EVERY BRACKET TESTED FOR A TON.
Made of Rail-Carbon Steel—They Do Not Bend.
(Patented)



Just 4 nails—that's all. 10, 16 or 20 d.

The two legs brace them at the right place. They can't wobble.
Fold for cartage and storage.


Length 3 feet. Weight per doz., 158 lbs. Price per doz....\$33.00

Length 3½ feet. Weight per doz., 197 lbs. Price per doz.... 39.00

F. O. B. Factory

Credit checks can not be applied on above goods,

Goldblatt Tool Co., Kansas City, Mo.



Are as Necessary as the Regular Brackets. They Reach Out Under the Cornice Where They Are Needed. These corner brackets make for absolute Scaffold Safety—the men do not have to jump around the corner in going from one side of the house to the other.

Fill that gap around the corner and do the work of two brackets. The men do more and better work. They make for safety and are just the trick for wide cornices.

Carpenter corner brackets attach to the corner post by two elamp bolts.

Length, 4 ft. Wt. per brkt., 15 lbs. Price per brkt.....\$4.25 Length, 4½ ft. Wt. per brkt., 16½ lbs. Price per brkt...... 4.50 Stucco corner brackets attach to the corner post by 10, 16 or

Length, 4 ft. Wt. per brkt., 15½ lbs. Price per brkt.....\$4.00

Length, 4½ ft. Wt. per brkt., 16½ lbs. Price per brkt.....\$4.25

Prices are F. O. B. Factory.

Credit checks can not be applied on above goods.

# Bricklayers' or Masons' Scaffolds

Are 41/6 Feet in Height.

also

#### Plasterers', Stuccoers' and Interior Decorators' Scaffolds

Are 6 Feet in Height.

They are placed along the side of the wall the same as the old wood horses.

They may be spaced any distance apart you desire (to suit the length of your scaffold boards). You cut the Ledger Timbers any length—to determine the width of the scaffold. Any height scaffold may be built, as one trestle clamps on top of the lower one with a clamp bolt. You may build it 10 trestles high and it will be as rigid at the top as it is at the bottom (which is more rigid than it is possible to build the old wood scaffold). wood scaffold).

NO NAILS are used in building this scaffold. COMMON LA-BORERS set it up, which keeps the cost of erection down to the lowest point. It is built in less than one-half the time required to build a wood scaffold and it is taken down in one-fourth the time required to wreck a wood scaffold.

As no nails are used-the timbers are uninjured and may be

used over and over again.

No Nail Pulling After Wrecking.

No Put-Log Holes to Patch.

When not in use, the trestles and timbers can be stored in a very small space.


As for STRENGTH, they will support three or four times the weight that you are likely to place upon them in ordinary use.




Weight of Man and Brick, 6,850 Pounds.

### Goldblatt Tool Co. Kansas City, Mo.

Bricklayers' or Masons' Scaffold Being Erected




Setting up Trestles Before Bracing Them Together.
Prices on Page 137.




Attaining Height—Building the Second Tier of Trestles on Top of the First. Read Particulars on Page 134. ----

# Bricklayers' or Masons' Scaffold Being Erected 6-Foot Heights for Plasterers, Stuccoers and Interior Decorators.



Bracing Two Trestles for Self Support. (Here are Two Trestles or One Pen.) Prices on Page 137.



Completed Scaffold—Two Tiers High. Can Be Built to Any Height Desired. Read Particulars on Page 134.


#### Sectional Scaffolds

Read Particlulars on Pages 135 and 136.

Especially adapted for high work—are entirely free from the building. Made in 4½-foot heights,

#### FOR BRICKLAYERS AND MASONS

F. O. B. Factory.



These scaffolds are made of 1½x1½x15-inch steel angles of rail-carbon content with 5/4-inch steel bolts. They will not bend.

They are ABSOLUTELY SAFE and will support three or four times as much weight as you are likely to place upon them.

No nails required—easily wrecked. No nails to pull—easily ransported. Small storage space. Made in 6-foot heights for Plasterers, Stuccoers and Decorators.

F. O. B. Factory.


Credit checks can not be applied to purchases of goods priced on this page.




# "Snapping Turtle Shingler"

FOR WOOD SHINGLES

Another "Trouble Saver" of Merit.






Section of Roof.

No nails necessary. Made of forged steel. One second to place in position. One second to remove. No roof too steep. Absolutely safe. Will last a lifetime.


Weight, 10 pounds to the dozen.

#### Ladder Jacks

A useful adjunct to all contractors' equipment. Painters, Tinners, Cornicemen, etc.



Over or Under.



IANDIEST LADDER-JACK

(Patented)

The strongest ladder-jack made. Takes weight on three rungs of the ladder.

Weight, 17 pounds to the pair.

Price, per pair, F. O. B. Factory.....

Credit checks can not be applied on above goods.

The largest exclusive business of its kind

#### CONCRETES, CEMENTS, MORTARS, PLASTERS AND STUCCO. By Fred T. Hodgson.

548 Pages, 150 Illustrations, 12mo,

A complete and reliable guide for the preparation and use of plastic building materials of all kinds. This work deals in detail with the selection, proportioning and application of all generally used materials as employed to secure the forms, grades and styles of construction required in modern building operations of this class.

The following are among the subjects receiving extended treatment: Processes and methods of work; tools and equipments; kinds of cements and concretes with their proper uses; moulding, finishing, cornices and special effects; reinforced concrete. Fully indexed.



#### PRACTICAL BRICKLAYING—SELF-TAUGHT By Fred T. Hodgson.



278 Pages, 300 Illustrations, 12mo, . \$1.50 Cloth.

A guide to better results for the working bricklayer. This volume is designed for self-instruction of those engaged in the trade, as well as for apprentices; and is planned to allow the application of the methods and principles to everyday practice as the reader's skill is developed by progress through the instructions.

Includes the following: laying founda-tions, bonding, arching, gauged work, damp courses, coping, bridges, piers, chimneys, flues, fireplaces, corbeling, cornices, panel-ing, pilasters, plinths, and all forms of plain and ornamental brickwork. Indexed.

STEEL CONSTRUCTION. By Fred T. Hodgson.

150 Pages, 90 Illustrations, Cloth. \$1.00 PRACTICAL STONE MASONRY-SELF-TAUGHT. By Fred T. Hodgson.

306 Pages, 500 Illustrations. Cloth . .

THE BUILDERS' AND CONTRAC-TOR'S GUIDE TO CORRECT MEAS-UREMENTS. By Fred T. Hodgson and W. M. Brown, C. E. 261 Pages, 45 Illustrations, 12mo, Cloth. Price ....



The Oldest and Largest Exclusive Business of Its Kind

MODERN ESTIMATOR AND CONTRACTORS' GUIDE. For Pricing All Builders' Work. By Fred T. Hodgson.

HODGSON'S MODERN ESTIMATOR AND CONTRACTORS GUIDE FOR PRICING ALL BUILDERS' WORK

FRED T. HODGSON.

318 Pages, 76 Tables. Illustrated. 12mo, Cloth ...

A book which explains in detail a large number of simple and practical methods for estimating the cost of all classes of con-tractors' building work. Typical exam-ples of estimating are fully worked out and the most used information is presented in tables suited for ready reference.

Labor, material and general overhead costs are developed for each kind of work, including excavating and drains; founda-tions and brickwork; carpentry and roofing; masonry, plastering and paperlianging; plumbing, hardware and finishing; painting and glazing. Fully indexed.

#### BUILDERS' ARCHITECTURAL DRAWING-SELF-TAUGHT. By Fred T. Hodgson, F.A.1.C.

336 Pages, 250 Illustrations and 18 Folding Plates, 12mo, Cloth Binding Price, each....

This work is especially designed for carpenters and for students of architecture, woodworkers and others who desire to learn drawing at home and who have not the means or opportunity to take a course in

school or college.

The work commences with a description drawing instruments and accessories, ith rules for using them, and hints as to their care and management. Rules for laying out simple drawings are given, and the student is taught step by step to draw to scale, first the plans, next the elevations, and finally the details of a cottage, includof foundations, walls, doors, windows, tairs and all other items required for inishing a small building.



PRACTICAL BUNGALOWS AND COTTAGES FOR TOWN AND COUNTRY. By Fred T. Hodgson and E. N.

Braucher. 12mo, Cloth, 420 Pages, 400 Illustrations. Price, each . \$1.00



This work contains perspective views and floor plans of over two hundred choice bungalows, cottages, houses and flat buildings, selected with great care to combine architectural beauty, convenience and economy of construction, ranging in prices from \$500.00 to \$3,800.00. Every plan shown is made by a licensed architect and has been built from. This work will be found invaluable to the home builder, furnishing many new and up-to-date ideas and suggestions. We are prepared to furnish blue prints at a very moderate cost ranging from \$5.00 to \$15.00, according to cost of erection, consisting of floor, roof and found-ation plans, front, side and rear elevations, with complete type-written specifications.



#### CEMENT FOR FARM AND TOWN

By H. COLIN CAMPBELL C. E., M. D.

Consulting Concrete and Sanitary Engineer Chief of Bureau of Publicity Portland Cement Association

Copyright 1920

380 Pages with 250 Illustrations

A compact and comprehensive manual for the cement contractor and for all users of cement and concrete. A brief history of cement is given, with its general properties, its uses and how it should be handled. Concrete, in its manifold structural relations, is fully covered—its component parts, the qualities they should contain, how they should be combined, mixed, placed, etc.—Tools used—Forms—Concrete Block and Brick—Stucco Surface Finish—Walls—Foundations, Roofs, Floors and Walks—Reinforcing Concrete—The Use of Concrete on Large and Small Structures—Uses of Concrete on the Farm, Fence Posts—Walks—Floors—Troughs and Tanks—Milk Houses—Silos—Cisterns—Machine Shed—Fences—Walls—Septic Tanks—Fruit and Vegetable Cellars—Steps and Porches—Hog Wallows—Manure Pit—Ice House—Smoke House—Poultry House—Hog House, Culverts, etc. A compact and comprehensive manual for the cement contractor Smoke House—Poultry House—Hog House, Culverts, etc.
Tables of Dimensions are given in connection with the Drawings,

making the instructions easy to comprehend by even the amateur cement and concrete worker.

This Book is worth \$1.00 for every page in it; at this rate it would

be worth \$380.00 and the price is only: Cloth Binding, Price.....

\$2.50

### CEMENT AND CONCRETE USERS HAND BOOK

By Myron H. Lewis. Everything of value to the concrete user is contained, including kinds of cement employed in construction, concrete architecture, inspection and testing, waterproofing coloring and painting, rules tables, The book working and cost data. comprises thirty-three chapters. valuable addition to the library of every cement and concrete user. Cloth 430 pages, 126 illustrations.

\$3.50 Price ..



### Goldblatt Tool Co Kansas City, Mo.

### Concrete Pottery and Garden Furniture By Ralph C. Davison



This book describes in detail in a most practical manner the various methods of casting concrete for ornamental and useful purposes, and covers the entire field of ornamental concrete work. It tells how to make all kinds of concrete vases, ornamental flower pots, concrete pedestals, concrete benches, concrete fences, etc. Full practical instructions are given for constructing and finishing the different kinds of molds, making the wire forms or frames, selecting and mixing the ingredients, covering the wire frames, modeling the cement mortar into form, and casting and finishing the various objects. Directions for inlaying, water-proofing and reinforcing cement are also included.

These directions have been supplemented with many half-tone and line

illustrations which are so clear that no one can possibly misunderstand them one handy man or novice can make many useful and ornamental objects in cement for the adornment of the home or garden. The author has taken for granted that the reader knows nothing whatever about the material, and has explained each progressive step in the various operations throughout in detail. The information on color work alone is worth many times the cost of the book. 51/4 x 7 1/2. 196 pp. 140 ill.....

REINFORCED CONCRETE

Consulting Civil Engineer; Author of "Railroad Construction," "Economics of Railroad Construction," etc.; American Society of Civil Engineers; and W. Herbert Gibson B. S. C. E. Consulting Progress. Gibson, B. S., C. E., Consulting Engineer, Specialist in Reinforced Concrete, American Society of Civil Engineers. 240 pp., 119 illus. Flexible binding. A condensed practical treatise on the problems of concrete construction, including the general theory of flexure in reinforced concrete, the design of the ordinary beam and girder type of floor, bonding of steel and concrete, vertical shear, diagonal tension, and tables and diagrams by means of which designs may be made without the use of other portions of the text. Partial contents as follows; Composition and treatment; Concrete mixtures Mixing and treatment; Concrete mixtures, Mixing and



treatment; Concrete mixtures, Mixing and laying concrete, Water-proofing concrete, Preservation of steel in concrete, Steel for reinforcing concrete, General theory of flexure. Practical calculation and design of beams and slabs: Tables, Bonding steel and concrete, Vertical shear and diagonal tensions, Slab on 1-beams, T-beam construction Simple footings. Compound footings, Piles, Retaining walls; Design of wall, Reinforced concrete walls, Walls with counterforts, Culverts, Girder bridges, Concrete building blocks, Fence posts, Silos, Concrete walks, Concrete curb. Concrete construction work: Machinery for concrete work, Concrete mixers, Hoisting and transporting equipment, Forms, Finishing surfaces of concrete, Bonding old and new concrete, Typical examples of reinforced concrete construction, Flat-slab construction. Price. . . . \$2.35



## TEXTURAL FINISHES IN PORTLAND CEMENT STUCCO

By SAMUEL WARREN, Manager Atlas-White Department, The Atlas Portland Cement Co.

Owners of houses are no longer satisfied with just the ordinary old time stucco finishes such as the spatter dash, rock dash, stipple and sponge. They want their house to look different from the house next door. Particularly is this getting to be a problem when with the rapid growth in the use of stucco, there are many such houses side by side.

With portland cement stucco, there are so many finishes and colors available that there hardly need be two houses with identical stucco finishes at least in any one city. Atlas-White portland cement in the finish coat gives the many varieties of color and the nature of the material, due to the fact that it is so permanent that it needs no rock dash to protect it allows you to secure countless textures.

First of all there are salient points in putting on the stucco that should be watched. A safe mix to use and it is best to make all coats the same, is one bag of portland cement, three cubic feet (3 bags) of sand and five pounds of hydrated lime. Never make the finish coat any richer than the base coats.

If you are putting the stucco on a sheathed house, always have the sheathing horizontal and never diagonal. The the metal lath together at the joints so securely that it is just as though it was one continuous sheet. Never nail the lath flat on the sheathing unless it is self-furring lath. The purpose of the lath is not just a roughness on which to hang the stucco, but a continuous sheet of reinforcing for the stucco.

Don't apply stucco on a very hot windy day or all the water that the cement needs will be sucked out. Apply the second coat the day after the first if wanted, but don't put on the finish coat for at least a week. After the second coat is on, keep it wet with the hose for several days. Scratch each coat thoroughly to receive the next.

When applying stucco to brick, concrete block or hollow clay tile, never cover them with any kind of a waterproofing material. Wet them down to prevent too much suction and apply the stucco directly. (For further information send for our book on this subject.)

Kansas City, Mo.

(Serial No. 120A)


## Foldblatt Rool Company Credit Check



BRAND ...

REGISTERED

KANSAS CITY MO.



\$ 500

DOLLARS EQION FIVE DOLLARS ECTON ECTON

ORDER OF

PAYTOTHE,

THIS OHECK WILL BE ACCEPTED AT FULL FACE VALUE WHEN APPLIED IN PART PAYMENT OF AN ORDER AS IN OPTION "A" ON BACK OF THIS CHECK, OR IT CAN BE APPLIED AS IN OPTIONS. "B" AND "C" ON BACK HEREOF. BUTIS. MOT GOOD IN ANY OTHER WAY.

Goldblatt Tool Co.
By Lloyd Morman

1522 WALNUT STREET

# In Celebrating Our 40th Successful Year of Tool Making

We are giving away \$40,00 to each of our customers.

This \$40.00 will be found stitched among the pages in this Catalog in the form of eight checks, of This is \$1.00 for each year we have been in business.

which this is one.

Each of these checks will be good only when sent in with, and applied as part payment, of an order, and cannot be used in any other way or at any other time.

Option C-This check will be accepted as \$1.00 in cash on purchases of \$11.00 or over. Option B-This check will be accepted as \$2.50 in cash on purchases of \$27.50 or over. Option A-This check will be accepted as \$5.00 in cash on purchases of \$55.00 or over.

No scheme. No trick. We do not have to scheme or use tricks.

We are simply presenting these checks to our customers at our own free will and with our compliments, in celebration of our 40th year in business. You are, therefore, welcome to apply these checks Forty years in business and every customer is our friend.

Good only when sent to the Goldblatt Tool Company, Kansas City, Missouri. as part payment of your purchases.

(There are a few items to which these checks cannot be applied. These items are so marked in our Catalog.)


The coloring of stucco is done by using Atlas-White Portland Cement for the finish coat. This is true, full strength portland cement and the only difference between it and the ordinary grey cement is this difference in color, as far as stucco is concerned. Best color results are secured by using a sand of a good color that gives with the white cement the color desired. For instance, a dark yellow sand and white tement gives a very attractive buff color. Experiment with your local sands and see what colors you can get.

If the proper colored sands are not available, use a white light colored sand and mix with them colored pigments. These can be secured from many reliable firms but be sure that they are intended for cement use for the many of the redinary oxides are not permanent. Usually from two to five per cent will give enough color but never use more than ten per cent. When using pigments in order to get a uniform color, it is best to weigh out the amount of pigment required for each bag of cement and put it into little paper bags. Screen the cement and color together thoroughly before adding the sand. If not the water is likely to make the color collections oblid balls that are hard to break up and leave streaks in the wall where the trowel cuts them.


The securing of different textures is not easy to explain writing but the pictures on the following pages should show to go at it. Look at them carefully and then experiment. It is just a trick of the wrist. No special tools, just the dinary plasterer's trowel and perhaps a burlap bag.

These pictures show several types of textures. These are ust suggestions of some that have been developed. Experimenting will show you how many others can be secured. Try them out. It means more widespread use of stucco as it so much more interesting.


Make the size of the texture correspond to the distance from which the house is to be seen. If the house is usually sen from a distance of one hundred feet, then the texture should be coarse enough so that it can be seen at that distance but if the house comes out to the sidewalk, make the texture much finer.




In this finish, the motion is roughly horizontal in broad, sweeping strokes from the shoulder, and not the elbow. The material working past the end of the trowel leaves slight ridges, and no attempt is made to remove these. The trowel is lifted at the end of the stroke. It is held at such an angle to the wall as to leave a smooth surface. Rub with a bag when it has partially set.




The effect is secured by the manipulation of the finish coat only. The finish coat is applied in irregular thickness, but the variations in the thickness should not be more than oneighth inch, or a quarter at the maximum. The "lumps" hould be roughly horizontal to give the effect of underlying courses of stone. Care must be taken to see that they average



horizontal, as the mason will usually give them a slight pitch to the right. Their size should correspond roughly to the size of the projection of a one-man stone. Major irregularity should be roughly worked out with the trowel, and after setting for an hour or so, the surface should be vigorously rubbed with a burlap bag.



The motion of application is from the bottom up. A full towel of material, holding the trowel at a sharper angle to wall than usual, is given a free, powerful stroke, so that mortar is spread along a length of several feet. At the dof the stroke, the trowel is lifted. Spots that are not sered at the first stroke are covered by a complete new seep, rather than by a small amount.



Over the base coats a thin layer of the finish coat mixture is applied, followed immediately by a spatter dash of the same mixture thrown on with a whiskbroom or a bundle of twigs. Before this has set, the projections are lightly troweled down with a steel trowel held almost flat against the surface.

An attractive polychrome effect may be obtained by applying a thin layer of the finish coat in one color and then spatter dash in another color.

### This Is a Real Sensation—50 Foot Steel Tape



If it was made of tin it would be worth this price. But it is made of steel—an honest to goodness genuine foot Steel Tape—as good as many \$4.00 and \$5.00 mes.

If you don't buy one, you are the loser. This is mough said.

Credit checks of any kind will not be accepted in full part payment of the above Steel Tape.

Jan. 21, 1924.

Dear Sirs:

I am sending you under separate cover one pair of rel sights. These are perfectly all right, but I bently purchased a transit and wish to exchange these the following goods on the order sheet. Inclosing each for the difference. I do not see how you can see a customer after he has once purchased from you. Sure treat them right and your tools can't be at. I think this is about the tenth or eleventh of I have from you and always satisfactory, thanks.

Yours respectfully,

L. H. KUCK, Wapakoneta, Ohio. The Oldest and Largest Exclusive Business of Its Kind



### Fireplace Ash Dump

This new Ash Dump has the lid permanently fastened to the frame as illustrated. Made in four sizes with single lid.

Inside Measurement	Outside Measurement Price Each8x8
248	10x10
47	6x9

### Flue Clean-out or Ash Pit Door

Size	Price, Each
8"x 8"	\$1.20
9"×19"	1.60



### Brick Wall Ties

These ties are made of deeply corrugated steel heavily galvanized and make an extremely durable and effective tie in a masonry wall.

They are of standard size <sup>3</sup>/<sub>4</sub>-inch by 7 inches.

Packed 1000 to the box.

Weight ready for shipment, 40 lbs. per box.

Price in lots of less than 5000...\$3.00 per box Price in lots of 5000 to 10000....2.50 per box Price in lots of 50000.....2.35 per box

Prices on this page F. O. B. Kansas City.
Credit checks can not be used applying to purchases on this page

Goldblatt Tool Co.,

Kansas City, Mo.

-152-

### TILE DEPARTMENT

### Ceramic Mosaic Floor Tiles

In addition to the Tile shown on next few pages we can also maish the 1"x½" White Ceramic Floor Tile, or in colors in the basket weave or herring-bone style. In the white the

we is 45c per sq. ft. mounted on sheets.
We can also furnish the White Ceramic Floor Tile or in colors
either the 2" and 3" hexagon or the 2" and 3" square—not
counted. In the white color either of these two sizes are 65c square foot.

To every five hundred feet of 1" Hexagon Tile there is regret 4 square feet of five point fractions and 3 square feet of point fractions. One square foot of fractions weighs 2\frac{34}{24} and a point fractions, 40c per square foot.

acking char													
Boxes,													
Barrels,	each			 									1.50
Crates,													

rges on following basis: 56 sq. ft. Floor Tile to a box.

60 sq. ft. Wall Tile to a barrel. 15 sq. ft. Hearth Tile to a box. 121/2 sq. ft. Quarry Tile to a crate.

Send Us a Rough Sketch of Work to Be Done-When ordering Floors, Wainscoting or Fireplaces send us a rough sketch of spaces you wish to tile, and show the location of doors, winsers, etc. You needn't draw a sketch to scale. Don't be afraid of ming us too much information—we need it to help you.

Are the best Amer-Quarry Tile made fireplace facings, merths, interior floors, mainscot, porch floors and wall.

They come in 4"x4", 8"x6", 9"x9" and 6"x in size. We aim to a stock on hand. any large quantity bould be wanted it is sable to allow plenty time for shipment md write us for special on quantities.

14", per sq. ft., "thick......50c" "5", per sq. ft., thick......45c g", per sq. ft.,

1" thick......50c


", per sq. ft.,
" thick.......45c
All prices quoted on this Page are F. O. B. Kansas City.

Frices on this Page subject to change.

If you are located east of the Mississippi River, we can ship our Chicago Stock at above prices.


Credit checks cannot be used applying to purchases of goods shown this page.

### White Glazed Enameled Wall Tile



Base No. 400. Price each, net... 445--White Enamel Angle Cove. Size 6x11/4. Price per lineal foot, net ..... foot, net Plain White Enamel Corner Lip. Size 3x4. (For use with 6x3 wall tile.) Furnished enamel inside for interiors, corners 

Price each, net... high x 41/2" wide.



All prices quoted on this page are F. O. B. Kansas City.

Prices on this page subject to change. If you are located east of the Mississippi River we can sh from our Chicago stock. Credit checks can not be used applying to purchases of Tile.

### Ceramic Mosaic Floor Tiles

We can furnish any dein any colors desired ir jobs of any size, no matter how small or Send plans or wings for store or milies, etc., and we will dadly quote you prices.

The tile shown to the right is the 34" white square broken or we can furit in the straight as in the body the panel above. on a paper sheet medy for laying and marked 26 sheets or square feet to a at 40c per square but, plus 50c per box boxing charge.

escounts in Lots of Feet and Over.


The section to the right is instrated to show the ef-ediveness of such a com-mation. The 1" hexagon shown (without black or border), mounted 2 are feet on a paper sheet for laying and packed sheets or 56 square feet box at 36c per square plus 50c per box for ming charge.

We can also furnish 11/4" White Hexagon at 42c per mare foot.

We can also furnish 13" Tite Round at 40c per

credit checks can not be used applying to purchases of Tile.










BRAND

### Ceramic Mosaic Tile Letters, Figures and Panels



No. 37-Body of 34" square white. Letters of 34" square 





We can furnish any of above with a large selection of colors if preference is shown for others than mentioned.

Send us your plans and we will be pleased to work them our for you with estimates or exact cost.

Credit checks can not be used applying to purchases of Tile

### Ceramic Mosaic Tile Borders

No. 31. 51/2" wide. Colors includare Green, Pink and White. Price per lineal ft.35c

No. 23. 61/4" wide. Colors includare Black, Red, Buff and White. Price per

lineal ft. 35c

No. 30. 81/4" wide. Colors includare Green and White. Price per lineal ft.45c


No. 29. Colors includare Black White. Frice per

lineal ft.45c

No. 14. 9" wide. Tolors includare Black, Silver Gray and White. Price per Eneal ft.50c

TILLII 

No. 18 9" wide. mors included Dark Green and White. Price per meal ft...50c



All prices on this page F. O. B. Kansas City. We can furnish any combination of colors or match any design. Credit checks can not be used applying to purchases of Tile.

-are recessed in the wall.

—come in tile sizes.
—are well made and easily set.

-are made of vitreous china.
-non-porous, will not chip,
craze or discolor.

can be installed in cement and plastered walls as well as tile walls.

are not expensive.

-represent the best in quality and design.

-usefu', beautifying, an added

convenience.

latest equipment in the mod-ern home.

are extensively used.



B-110.

6"x6". Recessed China Soap Holder. .....\$2.60 Each .



B-125. 6"x6". Recessed China Soap Holder and Grab Rail. Each .....\$4.75



B-120. 6"x6". Recessed China Tumbler Holder. Each .....\$2.50



B-117.

6"x6". Recessed China Toilet Paper Holder with Roller. . . .....\$3.50 Each ..




B-127.

6"x3". Recessed China Soap Holder. ...\$2.00 Each .

Prices on this page F. O. B. Kansas City. Credit checks can not be used applying to purchases of above.








B-150.

3"x3". China Tooth Brush and Dentifrice Holder.
Each .............\$2.00



B-152 B-152.

3"x3". China Robe Hook. Each ......\$1.00




B-170—3"x3".

China Towel Bar Brackets with Round Bar.
B-170—18" bar.
B-171—24" bar.
B-174—42" bar.

B-165—3"x3".

China Towel Bar Brackets with Square Bar.
B-165—18" bar.
B-166—24" bar.
B-168—36" bar.
B-169—42" bar.



B-160—3"x3".

China Ribbed Brackets and Shelf.

B-160—20" shelf.

B-162—30" shelf.

## IT MAKES NO DIFFERENCE

what kind of a trowel you want, you can find the right kind somewhere in this catalog.



### MEMORANDUMS

Contract of the last of the la	THIS CATALOG IS THE PROPERTY OF
	Name
١	Chunch

Copyright 1925, by Goldblatt Tool Co.

Oity ...... State.....

Why take chances with unknown brands? Buy Goldblatt Tools and make sure

## OUR TRADE-MARK



Our Trade-Mark stands for more than a Trade Mark.

To our Customers this





MARK

is like an Insurance Policy, because they know they are protected.

### ALWAYS LOOK FOR THIS


TRADE



MARK

Impression is on every "Trowel Brand" Tool

The Catalog with the Yellow Cover



Thru the Gothic Door in the front of our Office Building shown above, your orders are delivered directly to the desk of Mr. Goldblatt. Every order, large or small, is carefully scrutinized and given his personal attention before going in to the shop for execution, so that you are sure to secure tools exactly as you want them. When you desire some special shape or design don't hesitate to mention same in your order inasmuch that Mr. Goldblatt will personally look after your special wishes.

The Largest Business of it's Kind